VOLUME 83 • AUTHOR INDEX

Abboud TS *see* Abouleish EI **862**
Abdulle O *see* Krumholz W **333**
Abouleish EI, Abboud TS, Bikhazi G, Kenaan CA, Mroz L, Zhu J and **Lee J** Rapacuronium for modified rapid sequence induction in elective Caesarean section: neuromuscular blocking effects and safety compared with succinylcholine, and placental transfer **862**
Abrahams M, Eriksson H, Björnström K and **Eintrei C** Effects of propofol on extracellular acidification rates in primary cortical cell culture: application of silicon microphysiometry to anaesthesia **467**
Abramowitz A *see* Yardeni IZ **537**
Adachi N, Chen J, Nakanishi K and **Arai T** Pre-ischaemic administration of procaine suppresses ischaemic glutamate release and reduces neuronal damage in the gerbil hippocampus **472**
Adachi T, Murakawa M, Uetsuki N and **Segawa H** Living related donor liver transplantation in a patient with severe aortic stenosis **488**
Adel S *see* Ihra G **940**
Adriaensen HA *see* Hoffmann VLH **807**
Adriaensen HF *see* Adriaenssens G **393**
Adriaenssens G, Vermeyen KM, Hoffmann VLH, Mertens E and **Adriaensen HF** Postoperative analgesia with i.v. patient-controlled morphine: effect of adding ketamine **393**
Aguilera IM *see* Howell TK **358**
Aichner F *see* Kolbitsch C **835**
Akhtar TM and **Miranda-Caraballo JI** Is neuromuscular block for short laparoscopic procedures necessary?: *abstract* **185P**
Aldegheri G *see* Casati A **872**
Allaouchiche B, Jaumain H, Chassard D and **Boulétreau P** Gram stain of bronchoalveolar lavage fluid in the early diagnosis of ventilator-associated pneumonia **845**
Allen D, Jorgensen C and **Sims C** Effect of tropisetron on vomiting during patient-controlled analgesia in children **608**
Allman K *see* Pigott DW **715**
Aloy A *see* Ihra G **940**
Al-Shaikh B, Jones M and **Baldwin F** Evaluation of pressure changes in a new design tracheal tube cuff, the Portex Soft Seal, during nitrous oxide anaesthesia **805**
Alston RP *see* Robson MJA **531**; Millar SA **936**
Alvares D *see* De Lima J **662**
Alvarez FJ *see* Tamayo E **336**
Amin D *see* Khan ZP **372**
Anderson V, Thomson LF, Kulkarni V, Galley HF and **Webster NR** Lysine diminishes arginine metabolism but does not affect arterial pressure: *abstract* **185P**
Andreica S *see* Jansen AJ **596**
Andres AH *see* Langenstein H **685**
Andrews PJD *see* Rhodes JKJ **511P**; Millar SA **936**
Angel A and **Arnott RH** A possible adrenergic involvement in the anaesthetic action of alfentanil: *abstract* **181P**
Anzawa N *see* Kubota T **945**
Aono J *see* Cupitt JM **964**
Aono J, Ueda K, Ueda W and **Manabe M** Induction of anaesthesia in the lateral decubitus position in morbidly obese patients: *correspondence* **356**
Aouifi A, Piriou V, Blanc P, Bouvier H, Bastien O, Chiari P, Rousson R, Evans R and **Lehot JJ** Effect of cardiopulmonary bypass on serum procalcitonin and C-reactive protein concentrations **602**
Aoyama K *see* Kadoya T **815**; Takenaka I **962**
Arai T *see* Adaachi N **472**
Armstrong MA *see* Gormley SMC **176P**; Bedi A **511P**
Arnott RH *see* Angel A **181P**
Asai T, Murao K, Yukawa H and **Shingu K** Re-evaluation of appropriate size of the laryngeal mask airway **478**
Asenjo C *see* Bugedo G **813**
Ashton CH Adverse effects of cannabis and cannabinoids **637**
Atkinson S Principles and Practice of Sedation: *review* **364**
Aun CST New i.v. agents **29**
Avidan M *see* Harvey A **174P**
Avidan MS, Harvey A, Chitkara N and **Ponte J** The intubating laryngeal mask airway compared with direct laryngoscopy **615**
Avidan MS, Meehan N, Sherwood RA and **Ponte J** Allopurinol for the prevention of reperfusion injury during open heart surgery: *abstract* **176P**
Ayliffe W *see* Wood CC **968**
Ayorinde T *see* Shah J **527P**

Bain DL *see* Barnardo PD **684**
Bain PS *see* Foley M **360**
Baldwin F *see* Al-Shaikh B **805**
Bale RS *see* Clough TM **523P**
Bamber J *see* Dresner M **756**
Bamigbade TA *see* Halfpenny DM **969**
Banks R *see* Galley HF **169P**
Bannister J *see* Burke D **750**
Bantel C *see* Buerkle H **436**
Barale F *see* Boillot A **622**
Barclay PM and **O'Sullivan E** Systemic absorption of cocaine during fibreoptic bronchoscopy: *abstract* **518P**
Barnardo PD, Myles PS and **Bain DL** Is anaesthesia evidence-based?: *correspondence* **684**
Bastien O *see* Aouifi A **602**
Bateman CJ *see* Keogh BF **829**
Baumann J *see* Bellamy MC **178P**
Baur C *see* Brinkmeier H **855**
Bedi A, McBride WT, Armstrong MA, Murray JM and **Fee JPH** Effect of xenon on cytokine balance and adhesion molecule expression in an isolated cardiopulmonary bypass circuit: *abstract* **511P**
Bellamy MC *see* Murdoch SD **173P**; Murdoch SD **188P**; Koelzow H **512P**; Murdoch SD **519P**
Bellamy MC, Young Y, Snook N, Koelzow H, Baumann J and **Gedney JA** Methylene blue and haemodynamics of reperfusion injury: *abstract* **178P**
Bennett NR Paediatric intensive care **139**
Benton JI, Vickery PJ, Davies P, Langton JA and **Sneyd JR** Recovery profiles after day-case diagnostic gynaecological laparoscopy: comparison of two anaesthetic techniques over 1 week follow-up: *abstract* **523P**
Benzer A *see* Raedler C **657**; Kolbitsch C **835**
Berré J *see* Detriche O **698**
Berrisford RG *see* Thomas PW **668**
Berthelot A *see* Boillot A **622**
Berti M *see* Casati A **872**
Bikhazi G *see* Abouleish EI **862**
Bion J *see* Rosser D **693**
Bissonnette B Wilder-Smith OHG **590**
Björnström K *see* Abrahams M **467**
Black AE Medical assessment of the paediatric patient **3**
Black AMS The 'METI' simulator at the Bristol Medical Simulation Centre: *abstract* **526P**
Blanc P *see* Aouifi A **602**
Bloor, JWJ and **Williams B** Desaturation modelling in the 'human patient' simulator at the Bristol Medical Simulation Centre: *abstract* **517P**
Blunt MC *see* Young PJ **887**
Board PN and **Wright PMC** Low-dose ondansetron in the prevention of nausea and vomiting after day-case gynaecological surgery using propofol anaesthesia: *abstract* **185P**
Bodenham A *see* Hatfield A **789**
Bodenham A The Oxford Textbook of Critical Care: *review* **827**
Boillot A, Laurant P, Berthelot A and **Barale F** Effects of propofol on vascular reactivity in isolated aortae from normotensive and spontaneously hypertensive rats **622**

VOLUME 83 • AUTHOR INDEX

Abboud TS *see* Abouleish EI **862**
Abdulle O *see* Krumholz W **333**
Abouleish EI, Abboud TS, Bikhazi G, Kenaan CA, Mroz L, Zhu J and **Lee J** Rapacuronium for modified rapid sequence induction in elective Caesarean section: neuromuscular blocking effects and safety compared with succinylcholine, and placental transfer **862**
Abrahams M, Eriksson H, Björnström K and **Eintrei C** Effects of propofol on extracellular acidification rates in primary cortical cell culture: application of silicon microphysiometry to anaesthesia **467**
Abramowitz A *see* Yardeni IZ **537**
Adachi N, Chen J, Nakanishi K and **Arai T** Pre-ischaemic administration of procaine suppresses ischaemic glutamate release and reduces neuronal damage in the gerbil hippocampus **472**
Adachi T, Murakawa M, Uetsuki N and **Segawa H** Living related donor liver transplantation in a patient with severe aortic stenosis **488**
Adel S *see* Ihra G **940**
Adriaensen HA *see* Hoffmann VLH **807**
Adriaensen HF *see* Adriaenssens G **393**
Adriaenssens G, Vermeyen KM, Hoffmann VLH, Mertens E and **Adriaensen HF** Postoperative analgesia with i.v. patient-controlled morphine: effect of adding ketamine **393**
Aguilera IM *see* Howell TK **358**
Aichner F *see* Kolbitsch C **835**
Akhtar TM and **Miranda-Caraballo JI** Is neuromuscular block for short laparoscopic procedures necessary?: *abstract* **185P**
Aldegheri G *see* Casati A **872**
Allaouchiche B, Jaumain H, Chassard D and **Boulétreau P** Gram stain of bronchoalveolar lavage fluid in the early diagnosis of ventilator-associated pneumonia **845**
Allen D, Jorgensen C and **Sims C** Effect of tropisetron on vomiting during patient-controlled analgesia in children **608**
Allman K *see* Pigott DW **715**
Aloy A *see* Ihra G **940**
Al-Shaikh B, Jones M and **Baldwin F** Evaluation of pressure changes in a new design tracheal tube cuff, the Portex Soft Seal, during nitrous oxide anaesthesia **805**
Alston RP *see* Robson MJA **531**; Millar SA **936**
Alvares D *see* De Lima J **662**
Alvarez FJ *see* Tamayo E **336**
Amin D *see* Khan ZP **372**
Anderson V, Thomson LF, Kulkarni V, Galley HF and **Webster NR** Lysine diminishes arginine metabolism but does not affect arterial pressure: *abstract* **185P**
Andreica S *see* Jansen AJ **596**
Andres AH *see* Langenstein H **685**
Andrews PJD *see* Rhodes JKJ **511P**; Millar SA **936**
Angel A and **Arnott RH** A possible adrenergic involvement in the anaesthetic action of alfentanil: *abstract* **181P**
Anzawa N *see* Kubota T **945**
Aono J *see* Cupitt JM **964**
Aono J, Ueda K, Ueda W and **Manabe M** Induction of anaesthesia in the lateral decubitus position in morbidly obese patients: *correspondence* **356**
Aouifi A, Piriou V, Blanc P, Bouvier H, Bastien O, Chiari P, Rousson R, Evans R and **Lehot JJ** Effect of cardiopulmonary bypass on serum procalcitonin and C-reactive protein concentrations **602**
Aoyama K *see* Kadoya T **815**; Takenaka I **962**
Arai T *see* Adaachi N **472**
Armstrong MA *see* Gormley SMC **176P**; Bedi A **511P**
Arnott RH *see* Angel A **181P**
Asai T, Murao K, Yukawa H and **Shingu K** Re-evaluation of appropriate size of the laryngeal mask airway **478**
Asenjo C *see* Bugedo G **813**
Ashton CH Adverse effects of cannabis and cannabinoids **637**
Atkinson S Principles and Practice of Sedation: *review* **364**
Aun CST New i.v. agents **29**
Avidan M *see* Harvey A **174P**
Avidan MS, Harvey A, Chitkara N and **Ponte J** The intubating laryngeal mask airway compared with direct laryngoscopy **615**
Avidan MS, Meehan N, Sherwood RA and **Ponte J** Allopurinol for the prevention of reperfusion injury during open heart surgery: *abstract* **176P**
Ayliffe W *see* Wood CC **968**
Ayorinde T *see* Shah J **527P**

Bain DL *see* Barnardo PD **684**
Bain PS *see* Foley M **360**
Baldwin F *see* Al-Shaikh B **805**
Bale RS *see* Clough TM **523P**
Bamber J *see* Dresner M **756**
Bamigbade TA *see* Halfpenny DM **969**
Banks R *see* Galley HF **169P**
Bannister J *see* Burke D **750**
Bantel C *see* Buerkle H **436**
Barale F *see* Boillot A **622**
Barclay PM and **O'Sullivan E** Systemic absorption of cocaine during fibreoptic bronchoscopy: *abstract* **518P**
Barnardo PD, Myles PS and **Bain DL** Is anaesthesia evidence-based?: *correspondence* **684**
Bastien O *see* Aouifi A **602**
Bateman CJ *see* Keogh BF **829**
Baumann J *see* Bellamy MC **178P**
Baur C *see* Brinkmeier H **855**
Bedi A, McBride WT, Armstrong MA, Murray JM and **Fee JPH** Effect of xenon on cytokine balance and adhesion molecule expression in an isolated cardiopulmonary bypass circuit: *abstract* **511P**
Bellamy MC *see* Murdoch SD **173P**; Murdoch SD **188P**; Koelzow H **512P**; Murdoch SD **519P**
Bellamy MC, Young Y, Snook N, Koelzow H, Baumann J and **Gedney JA** Methylene blue and haemodynamics of reperfusion injury: *abstract* **178P**
Bennett NR Paediatric intensive care **139**
Benton JI, Vickery PJ, Davies P, Langton JA and **Sneyd JR** Recovery profiles after day-case diagnostic gynaecological laparoscopy: comparison of two anaesthetic techniques over 1 week follow-up: *abstract* **523P**
Benzer A *see* Raedler C **657**; Kolbitsch C **835**
Berré J *see* Detriche O **698**
Berrisford RG *see* Thomas PW **668**
Berthelot A *see* Boillot A **622**
Berti M *see* Casati A **872**
Bikhazi G *see* Abouleish EI **862**
Bion J *see* Rosser D **693**
Bissonnette B Wilder-Smith OHG **590**
Björnström K *see* Abrahams M **467**
Black AE Medical assessment of the paediatric patient **3**
Black AMS The 'METI' simulator at the Bristol Medical Simulation Centre: *abstract* **526P**
Blanc P *see* Aouifi A **602**
Bloor, JWJ and **Williams B** Desaturation modelling in the 'human patient' simulator at the Bristol Medical Simulation Centre: *abstract* **517P**
Blunt MC *see* Young PJ **887**
Board PN and **Wright PMC** Low-dose ondansetron in the prevention of nausea and vomiting after day-case gynaecological surgery using propofol anaesthesia: *abstract* **185P**
Bodenham A *see* Hatfield A **789**
Bodenham A The Oxford Textbook of Critical Care: *review* **827**
Boillot A, Laurant P, Berthelot A and **Barale F** Effects of propofol on vascular reactivity in isolated aortae from normotensive and spontaneously hypertensive rats **622**

Boldt J *see* Wolowczyk L **536**
Bolsin SN *see* Tolley PM **328**
Booker PD Equipment and monitoring in paediatric anaesthesia **78**
Booth G *see* Lim K **529**
Bornscheuer A *see* Kirchhoff K **898**
Bose D *see* Holdcroft A **618**
Boulétreau P *see* Allaouchiche B **845**
Bouvier H *see* Aouifi A **602**
Bovill JG *see* Mertens MJ **250**
Bowie RA and **Mahajan RP** Effect of the magnitude of the decrease in middle cerebral artery flow velocity during the hyperaemic response test on calculated indices of autoregulation: *abstract* **187P**
Bowie RA *see* Coe TR **541**
Brennan LJ Modern day-case anaesthesia for children **91**
Breslin D *see* Hayes A **179P**; *see* O'Hare R **180P**
Bridges LR *see* Curran JL **217**
Brimacombe J *see* Keller C **480**
Brinkmeier H, Krämer J, Krämer R, Iaizzo PA, Baur C, Lehmann-Horn F and **Rüdel R** Malignant hyperthermia causing Gly2435Arg mutation of the ryanodine receptor facilitates ryanodine-induced calcium release in myotubes **855**
Brown TCK, Eyres RL and **McDougall RJ** Local and regional anaesthesia in children **65**
Bruhn J, Sleigh JW and **Donovan J** EEG indices and heart rate variability as measures of depth of anaesthesia: *correspondence* **687**
Bruijn JA *see* van den Broek WW **271**
Bryant AE *see* O'Leary E **461**
Buerkle H, Schäpsmeier M, Bantel C, Marcus MAE, Wüsten R and **Van Aken H** Thermal and mechanical antinociceptive action of spinal *vs* peripherally administered clonidine in the rat inflamed knee joint model **436**
Bugedo G, Gonzalez J, Asenjo C, De la Cuadra JC, Gajardo A, Castillo L, Muñoz H and **Dagnino J** Ondansetron and droperidol in the prevention of postoperative nausea and vomiting **813**
Buggy DJ and **Lambert DG** Reversal of the inhibitory effect of propofol, but not of ketamine, on K^+ evoked glutamate release from rat cerebrocortical slices by the $GABA_A$ antagonist bicuculline: *abstract* **174P**
Buggy DJ *see* Powell RM **173P**; Shah J **527P**
Burke D, Henderson DJ, Simpson AM, Faccenda KA, Morrison LMM, McGrady EM, McLeod GA and **Bannister J** Comparison of 0.25% S(—)-bupivacaine with 0.25% RS-bupivacaine for epidural analgesia in labour **750**
Burm AGL *see* Mertens MJ **250**
Burrin JM *see* O'Leary E **461**
Byford AJ, Gemmell DK, Hamilton N, Sneyd JR and **Vijn PCM** Profiling novel i.v. anaesthetic agents with a rat EEG model: *abstract* **514P**

Cadamy J *see* Lim K **529**
Caldwell JE, McCarthy GJ, Wright PMC, Szenohradszky J, Sharma ML, Gruenke LD and **Miller RD** Influence of chronic phenytoin administration on the pharmacokinetics and pharmacodynamics of vecuronium: *abstract* **183P**
Callado LF *see* Halfpenny DM **909**
Calow C *see* Dresner M **756**
Campalani GF *see* Gormley SMC **176P**
Campbell C and **Milligan K** The role of patient expectations in perceived invasive treatment efficacy: *abstract* **191P**
Camu F *see* Jansen AJ **596**
Canavan KS *see* Thomson AR **175P**
Carmichael RL, Galley HF and **Webster NR** Circulating interleukin-8 and lung dysfunction after cardiopulmonary bypass: *abstract* **171P**
Carr B *see* Groves J **850**
Carrington M, Gondhia A, Sharpe RM and **Thornton C** Comparison of esmolol and alfentanil on the auditory evoked response and haemodynamic response to intubation: *abstract* **515P**
Carvalho B Hidden hazards of scavenging: *correspondence* **532**
Casati A, Fanelli G, Aldegheri G, Berti M, Colnaghi E, Cedrati V and **Torri G** Interscalene brachial plexus anaesthesia with 0.5%, 0.75% or 1% ropivacaine: a double-blind comparison with 2% mepivacaine **872**
Castillo L *see* Bugedo G **813**
Cedrati V *see* Casati A **872**
Cembala TM *see* Forde S **189P**
Chan NN and **Feher MD** Metformin and perioperative risk: *correspondence* **540**
Chang C.-L *see* Chen T.-Y **948**
Chantler J and **Cox DJA** Self-prepared heparinized syringes for measuring ionized magnesium in critical care patients **810**
Charlton P *see* Jeffrey HM **245**; Dresner M **756**
Chassard D *see* Tournadre JP **630**; Allaouchiche B **845**
Checketts MR *see* Gorton P **534**; Pittman J **689**
Cheema S *see* Richardson J **387**
Chen J *see* Adaachi N **472**
Chen T.-Y, Chang C.-L, Tseng C.-C and **Cheng J.-T** Effects of a nitric oxide scavenger, carboxy-PTIO, on isoflurane MAC and cerebellar nitric oxide synthase activity in rats **948**
Cheng J.-T *see* Chen T.-Y **948**
Cheong KF *see* Ip-Yaam PC **682**
Chiari P *see* Aouifi A **602**
Chitkara N *see* Avidan MS **615**
Chiu CL *see* Lim K **529**
Cholwill JM, Wright W, Hobbs GJ and **Curran J** Comparison of ondansetron and cyclizine for prevention of nausea and vomiting after day-case gynaecological laparoscopy **611**
Choyce A *see* Harvey A **174P**
Christie IW, Huish CC, Langton JA and **Davies PRF** Pain scores after total hip arthroplasty: prospective, randomized, open comparison of two analgesic techniques: *abstract* **528P**
Chung CW *see* Kim KS **483**
Chung F *see* Higgins **193**
Chung F, Mezei G and **Tong D** Pre-existing medical conditions as predictors of adverse events in day-case surgery **262**
Claeys M *see* Jansen AJ **596**
Clough TM, Sandher D, Laurence AS and **Bale RS** Does addition of ankle block for day-case foot surgery improve patient satisfaction?: *abstract* **523P**
Cobby TF, Crighton IM, Kyriakides K and **Hobbs GJ** Rectal paracetamol has a significant morphine-sparing effect after hysterectomy **253**
Cochran D, Thornton S and **Harper NJN** Pressure support ventilation in the anaesthetized patient using the laryngeal mask airway: *abstract* **530P**
Cochrane D *see* McCourt KC **721**
Coe TR, Harmon D and **Bowie RA** Acupressure and prevention of nausea and vomiting: *correspondence* **541**
Coghill JC *see* Dashfield AK **518P**
Cohen A, Roberts DJS and **McIndoe A** An audit of the use of alarms in anaesthetic monitoring: *abstract* **525P**
Cohen AT *see* Murdoch SD **519P**
Collis RE Low-dose combined spinal-epidural analgesia in labour: *correspondence* **192**
Colnaghi E *see* Casati A **872**
Comfère T *see* Ebel D **903**
Connery LE, Deignan MJ, Gujer MW and **Richardson MG** Cardiovascular collapse associated with extreme iatrogenic PEEPi in patients with obstructive airways disease **493**
Conway DH, Wadsworth R and **Scott DHT,** Portable ultrasound for central venous cannulation: *correspondence* **964**
Coppejans HC *see* Hoffmann VLH **807#**
Cossham PS and **Randell T** Fibreoptic orotracheal intubation: *correspondence* **683**
Coté CJ Preoperative preparation and premedication **16**
Coupe M Low-dose nitrous oxide and dyspnoea: *correspondence* **357**
Cox DJA *see* Chantler J **810**
Craven RM and **McIndoe AK** Continuous auditory monitoring–how much information do we register? **747**
Crider B *see* Pandit JJ **970**
Crighton IM *see* Cobby TF **253**
Crozier TA and **Kettler D** Cost effectiveness of general anaesthesia: inhalation *vs* i.v.: *editorial* **547**
Culbert B *see* McNeil A **522P**
Cupitt JM, Aono J and **Ueda W,** Induction of anaesthesia in morbidly obese patients: *correspondence* **964**
Cupitt JM and **Harrison GR,** Anatomy of the lumbar epidural region: *correspondence* **974**
Curran J *see* Cholwill JM **611**

Curran JL, Hall WJ, Halsall PJ, Hopkins PM, Iles DE, Markham AF, McCall SH, Robinson RL, West SP, Bridges LR and **Ellis FR** Segregation of malignant hyperthermia, central core disease and chromosome 19 markers **217**

D'Haese J *see* Jansen AJ **596**
Dagnino J *see* Bugedo G **813**
Dahan A and **Teppema L** Influence of low-dose anaesthetic agents on ventilatory contorl: where do we stand?: *editorial* **199**
Dalibon N *see* Perel A **967**
Dan K *see* Nitahara K **499**
Danjoux G *see* Mills KG **727**
Dark A and **Kulkarni V** Improving oxygenation during one-lung ventilation: a national survey of current practice: *abstract* **190P**
Dascalu A, Geller E, Moalem Y, Manoah M, Enav S and **Rudick Z** Acoustic monitoring of intraoperative neuromuscular block **405**
Dashfield AK, Coghill JC and **Langton JA** Psychomotor aptitude testing and the performance of obstetric epidural analgesia by anaesthetic trainees: *abstract* **518P**
Davies P *see* Benton JI **523P**
Davies PRF *see* Christie IW **528P**
De la Cuadra JC *see* Bugedo G **813**
De Lima J, Alvares D, Hatch DJ and **Fitzgerald M** Sensory hyperinnervation after neonatal skin wounding: effect of bupivacaine sciatic nerve block **662**
de Wolff MH, Leather HA and **Wouters PF** Effects of tramadol on minimum alveolar concentration (MAC) of isoflurane in rats **780**
Deakin CD and **McQuillan PJ** Hypoxia caused by a faulty Steri-cath closed suction device and use of continuous suction: *correspondence* **682**
Deakin CD, McQuillan PJ and **Smith GB,** Oxygen concentration distinguishes pulmonary from bowel gas leaks: *correspondence* **965**
Decosterd LA *see* Wilder-Smith OHG **590**
Deignan MJ *see* Connery LE **493**
Della Puppa A, Pittoni G and **Wakeling HG** Dealing with expected difficult intubation: *correspondence* **362**
Dennis I *see* Dimpel HL **801**
Despland PA Wilder-Smith OHG **590**
Detriche O, Berré J, Massaut J and **Vincent J.-L** The Brussels sedation scale: use of a simple clinical sedation scale can avoid excessive sedation in patients undergoing mechanical ventilation in the intensive care unit **698**
Dhara SS *see* Drummond GB **355**
Dimitriou V, Voyagis GS and **Kyriakides K** Opioid-induced pruritus: repeated *vs* single dose ondansetron administration in preventing pruritus after intrathecal morphine: *correspondence* **527**
Dimpel HL, Sneyd JR, Sanders H and **Dennis I** Oxygen administration and explicit memory: no improvement found in healthy volunteers **801**
Dixon PM *see* Young LE **321**
Doenicke AW, Roizen MF, Hoernecke R, Lorenz W and **Ostwald P** Solvent for etomidate may cause pain and adverse effects **464**
Dohi T *see* Irifune M **665**
Dolenska S *see* Gorton P **534**
Donati F *see* Ibebunjo C **284**
Dong C, Kehoe J, Ifeachor EC, Reeve CD and **Sneyd JR** Does nitrous oxide affect closed-loop anaesthetic propofol?: *abstract* **516P**
Dong C, Wrigley SR, Ifeachor EC, Reeve CD and **Sneyd JR** Closed-loop sedation during knee surgery under epidural anaesthesia: *abstract* **516P**
Donovan J *see* Bruhn J **687**
Dore CJ *see* Hasan KA **514P**
Doré CJ *see* Thornton C **381**
Dorrington KL *see* Pandit JJ **204;** Panditt JJ **210**
Doyle PW and **Matta BF** Burst suppression or isoelectric encephalogram for cerebral protection: evidence from metabolic suppression studies **580**
Dresner M, Bamber J, Calow C, Freeman J and **Charlton P** Comparison of low-dose epidural with combined spinal-epidural analgesia for labour **756**
Drummond G, International Anesthesiology Clinics: *review* **976**
Drummond GB *see* Strickland TL **180P;** Guracha Boru K **650**
Drummond GB, Liu EHC and **Dhara SS** Sevoflurane anaesthesia with an Oxford Miniature Vaporizer: *correspondence* **355**
Druschky K *see* Schmitt H **349**
Dunne J *see* Shaaban Ali M **521P**
Dunnett JM *see* Pittman J **689**
Dykes EH Paediatric trauma **130**

Eastwood D, Pain: Acute and Chronic: *review* **977**
Ebel D, Schlack W, Comfère T, Preckel B and **Thämer V** Effect of propofol on reperfusion injury after regional ischaemia in the isolated rat heart **903**
Ecknauer E, Schmidlin D, Jenni R and **Schmid ER** Emergency repair of incidentally diagnosed ascending aortic aneurysm immediately after Caesarean section **343**
Edmends S *see* Thwaites AJ **410**
Edwards ND *see* Strachan AN **177P;** Groves J **850**
Edwards N Vascular Anaesthesia, a Practical andbook: *review* **364**
Eger EI, Lebovits AH and **Twersky S** Intraoperative therapeutic suggestions: *correspondence* **532**
Eggers KA, Jenkins BJ and **Power I** Effect of oral and i.v. tenoxicam in postoperative pain after total knee replacement **876**
Eintrei C *see* Abrahams M **467**
Ellinger R *see* Kolbitsch C **835**
Elliott P *see* McCourt KC **721**
Ellis FR Pain and Suffering: *review* **544**
Ellis FR *see* Curran JL **217;** Hopkins PM **513P;** Hopkins PM **529P**
Enav S *see* Dascalu A **405**
Engbers FHM *see* Mertens MJ **250**
Engelhardt T and **Webster NR** Pulmonary aspiration of gastric contents in anaesthesia **453**
England AJ *see* Hallworth SP **520P**
Englehard K, Werner C, Reeker W, Lu O, Möllenberg O, Mielke L and **Kocks E** Desflurane and isoflurane improve neurological outcome after incomplete cerebral ischaemia in rats **415**
Eriksson H *see* Abrahams M **467**
Evans R *see* Aouifi A **602**
Evans RD *see* Pigott DW **715**
Eyres RL *see* Brown TCK **65**

Faccenda KA *see* Burke D **750**
Fanelli G *see* Casati A **872**
Farmery AD and **Harmon D** Acupressure and prevention of PONV: *correspondence* **352**
Fawcett WJ *see* MacLeod D **972**
Fawcett WJ, Haxby EJ and **Male DA** Magnesium: physiology and pharmacology **302**
Fear S *see* Hedayati B **776**
Fee JPH *see* Bedi A **511P**
Feher MD *see* Chan NN **540**
Feiss P *see* Ng KFJ **539;** Smith I **564**
Felber S *see* Kolbitsch C **835**
Felleiter P *see* Gustorff B **673**
Feneck RO Problems in Anesthesia Series: *review* **365**
Feneck RO *see* Spackman DR **708**
Fernando R *see* Hallworth SP **520P**
Fisher DM Neuromuscular blocking agents in paediatric anaesthesia **58**
Fitzgerald M *see* De Lima J **662**
Fletcher R and **Stannard L** Best ventilator setting for major gynaecological laparoscopic surgery: *abstract* **184P**
Fludder P *see* Henderson K **956**
Foex P *see* Sear JW **172P**
Foley M, Myles PS, Bain D and **Johnson F** Evidence-based anaesthetic practice: *correspondence* **360**
Forde S, Cembala TM and **Lambert DG** Further studies on the interaction of pancuronium and vecuronium with recombinant m2 muscarinic receptors: *abstract* **189P**
Fox AJ *see* Shajar MA **654**
Freeman J *see* Dresner M **756**
French G *see* Sear JW **172P**
French GWG *see* Wheeler DW **973**
French GWG, White JB, Howell SJ and **Popat M** Comparison of pentastarch and Hartmann's solution for volume preloading in spinal anaesthesia for elective Caesarean section **475**
French R *see* Yeo ST **670**
Fuente T *see* Milanés MV **784**

Fujii Y *see* Saitoh Y **275**; Saitoh Y **340**
Funk W *see* Wissing H **353**
Funk W, Gruber M, Jakob W and **Hobbhahn J** Compound A does not accumulate during closed circuit sevoflurane anaesthesia with the Physioflex

Gajardo A *see* Bugedo G **813**
Galletly D and **Larsen P** Ventilatory frequency variability in spontaneously breathing anaesthetized subject **552**
Galley HF and **Webster NR** A rough guide to molecular biology: *commentary* **675**
Galley HF *see* Paterson RL **170**; Yassen K **170P**; Carmichael RL **171P**; Webster NR **181P**; Anderson V **185P**; Yassen KA **325**
Galley HF, Le Cras AE, Logan SD and **Webster NR** Effects of isoflurane, xenon and ketamine on tetrahydrobiopterin, nitric oxide production and cGMP in rat spinal cord: *abstract* **182P**
Galley HF, Macleod S, Banks R and **Webster NR** Vascular endothelial growth factor and bioimpedance in critically ill patients: *abstract* **169P**
Gamulin Z *see* Schiffer E **943**
Gao F *see* Robson MJA **531**
Garrioch MA, McClure J and **Wildsmith JAW** Haemodynamic effects of diaspirin crosslinked haemoglobin (DCLHb) given before abdominal aortic aneurysm surgery **702**
Gedney JA *see* Murdoch SD **173P**; Bellamy MC **178**; Koelzow H **512P**
Geller E *see* Dascalu A **405**
Gemmell DK *see* Byford AJ **514P**
Girling KJ *see* Harrison JM **839**
Gomez JI *see* Tamayo E **336**
Gondhia A *see* Carrington M **515P**
Gonzalez J *see* Bugedo G **813**
Goodwin A *see* Skelton VA **951**
Gormley SMC, Young I, Armstrong MA, McMurray TJ, MacGowan SW, Campalani GF and **McBride WT** Non-cardiopulmonary bypass cardiac surgery leads to significant proximal tubular dysfunction: *abstract* **176P**
Gorton P, Dolenska S, Checketts MR and **Wildsmith JAW** Central nerve block and thromboprophylaxis: *correspondence* **534**
Greisen J, Hokland M, Grøfte T, Hansen PO, Jensen TS, Vilstrup H and **Tønnesen** Acute pain induces an instant increase in natural killer cell cytotoxicity in humans and this response is abolished by local anaesthesia **235**
Grøfte T *see* Greisen J **235**
Grouille D *see* Ng KFJ **539**
Groves J, Edwards ND, Carr B and **Sherry KM** Perioperative myocardial ischaemia, heart rate and arrhythmia in patients undergoing thoracotomy: an observational study **850**
Gruber M *see* Wissing H **353**; Funk W **571**
Gruenke LD *see* Caldwell JE **183P**
Gujer MW *see* Connery LE **493**
Guracha Boru K and **Drummond GB** Comparison of breathing methods for inhalation induction of anaesthesia **650**
Gustorff B, Lierz P, Felleiter P, Knocke TH, Hoerauf K and **Kress HG** Ropivacaine and bupivacaine for long-term epidural infusion in a small child **673**
Guttman J *see* Lichtwarck-Aschoff M **890**

Haines JR Low-dose combined spinal-epidural analgesia in labour: *correspondence* **192**
Hakoda T *see* Yoshino A **279**
Halfpenny DM, Callado LF, Hopwood SE, Bamigbade A, Langford RM and **Stamford JA** Effects of tramadol stereoisomers on norepinephrine efflux and uptake in the rat locus coeruleus measured by real time voltammetry **909**
Hall AP *see* Shajar MA **654**
Hall GM Research Medicine. Planning a Project-Writing a Thesis: *review* **691**
Hall GM *see* O'Leary E **461**
Hall H and **Leach A** Paravertebral block in the management of liver capsule pain after blunt trauma **819**
Hall WJ *see* Curran JL **217**
Hallworth SP, Fernando R, Stocks G and **England AJ** Use of dextrose to produce isobaric solutions of bupivacaine and bupivacaine-opioid combinations at 37°C: *abstract* **520P**
Halsall PJ *see* Curran JL **217**; Hopkins PM **513P**; Hopkins PM **529P**
Hamilton N *see* Byford AJ **514P**
Hammond EJ, McIndoe AK and **Lee M** The electronic anaesthetic logbook and the millennium bug or Y2K problem: *correspondence* **356**
Hans GH *see* Hoffmann VLH **807**
Hansen PO *see* Greisen J **235**
Harmer M *see* Shaaban Ali M **521P**; Smith I **564**
Harmon D *see* Farmery AD **352**; Coe TR **541**
Harper NJN *see* Van Oldenbeek C **338**; Cochran D **530P**
Harris DNF *see* Robson MJA **531**
Harrison D *see* Woodward DK **933**
Harrison GR Topographical anatomy of the lumbar epidural region: an *in vivo* study using computerized axial tomography **229**
Harrison GR *see* Cupitt JM **974**
Harrison JM, Girling KJ and **Mahajan RP** Effects of target-controlled infusion of propofol on the transient hyperaemic response and carbon dioxide reactivity in the middle cerebral artery **839**
Harvey A *see* Avidan MS **615**
Harvey A, Avidan M, Sarang K, Choyce A, Patel C, Timberlake C and **Ponte J** Cardiovascular responsse to insertion of the intubating laryngeal mask: *abstract* **174P**
Hasan KA, Sharpe RM, Dore CJ and **Thornton C** Effect of target-controlled infusion of propofol on the auditory evoked response, median frequency and specrtral edge in humans: *abstract* **514P**
Hashiba E *see* Hirota K **292**
Hashimoto Y *see* Yoshino A **279**; Hirota K **292**
Hatch DJ and **Hunter JM** The paediatric patient: *editorial* **1**
Hatch DJ New inhalation agents in paediatric anaesthesia **42**
Hatch DJ *see* De Lima J **662**
Hatfield A and **Bodenham A** Ultrasound: an emerging role in anaesthesia and intensive care **789**
Haxby EJ *see* Fawcett WJ **302**
Hayes A *see* O'Hare R **180P**
Hayes A, Breslin D, Reid J, O'Hare R, McCoy EP and **Mirakhur RK** Rapacuronium (Org 9487) for use during rapid sequence induction of anaesthesia: comparison with succinylcholine: *abstract* **179P**
Hedayati B and **Fear S** Hospital admission after day-case gynaecological laparoscopy **776**
Hedlund AJ *see* Lichtwarck-Aschoff M **890**
Hempelmann G *see* Krumholz W **333**
Henderson DJ *see* Burke D **750**
Henderson K and **Fludder P** Epidural anaesthesia for Caesarean section in a patient with severe Takayasu's disease **956**
Hennart D *see* Smith I **564**
Henzi I, Walder B and **Tramèr MR** Metoclopramide in the prevention of postoperative nausea and vomiting: a quantitative systematic review of randomized, placebo-controlled studies **761**
Hewitt PB Final FRCA Mock Papers: True/False Questions, Comprehensive Answers and References: *book review* **197**
Hieber C *see* Ihra G **940**
Higgins PP and **Chung F** Low-dose combined spinal-epidural analgesia in labour: *correspondence* **193**
Hing JP *see* Mills KG **727**
Hirakawa M *see* Morita K **734**
Hirashima J *see* Yoshino A **279**
Hirota K and **Lambert DG** ω-Conotoxin $MVII_A$ binding site on N-type voltage-sensitive calcium channels is not a target for i.v. or local anaesthetic agents: *abstract* **188P**
Hirota K *see* Kubota T **945**
Hirota K, Sato T, Hashimoto Y, Hashiba E, Kudo T, Ishihara H and **Matsuki A** Relaxant effect of propofol on the airway in dogs **292**
Ho CM *see* Wang JJ **772**
Ho ST *see* Wang JJ **772**
Hobbhahn J *see* Wissing H **353**; Funk W **571**
Hobbs GJ *see* Cobby TF **253**; Cholwill JM **611**
Hoerauf K *see* Gustorff B **673**
Hoernecke R *see* Doenicke AW **464**
Hoffmann VLH *see* Adriaenssens G **393**
Hoffmann VLH, Vercauteren MP, Vreugde J.-P, Hans GH, Coppejans HC and **Adriaensen HA** Posterior epidural space depth: safety of the loss of resistance and hanging drop techniques **807**

Hokland M *see* Greisen J **235**
Holdcroft A *see* Markovic D **525P**
Holdcroft A, Bose D, Sapsed-Byrne SM, Ma D and **Lockwood GG** Arterial to inspired partial pressure ratio of halothane, isoflurane, sevoflurane and desflurane in rats **618**
Holmes M *see* Rhodes JKJ **511P**
Hooper RJL *see* Sear JW **172P**
Hopkins PM *see* Curran JL **217**
Hopkins PM, Halsall PJ and **Ellis FR** Bolus *vs* cumulative administration of halothane for contracture testing in malignant hyperthermia diagnosis: *abstract* **529P**
Hopkins PM, Halsall PJ and **Ellis FR** *In vitro* contracture produced by 4-chloro-m-cresol in muscle from patients attending for malignant hyperthermia diagnosis: *abstract* **513P**
Hopwood SE *see* Halfpenny DM **909**
Hörmann C *see* Kolbitsch C **835**
Hosie HE *see* Stuart PC **186P**
Howell SJ *see* French GWG **475**
Howell TK, Aguilera IM, Walker RWM, Payne KA, Roelofse JA, Shipton EA, Munro HM, Malviya S, Louder GR, Voopel-Lewis T, Tait AR and **Wolf AR** Tears at bedtime: *correspondence* **358**
Hughes D *see* Tremlett MR **257**
Huish CC *see* Christie IW **528P**
Hummel C *see* Schmitt H **349**
Hung VYS *see* Lee BB **868**
Hunter JM *see* Hatch DJ **1**; Mills KG **727**

Iaizzo PA *see* Brinkmeier H **855**
Ibebunjo C, Srikant CB and **Donati F** Morphological correlates of the differential responses of muscles to vecuronium **284**
Ifeachor EC *see* Dong C **516P**
Ihra G, Hieber C, Schabernig C, Kraincuk P, Adel S, Plöchl W and **Aloy A** Supralaryngeal tubeless combined high-frequency jet ventilation for laser surgery of the larynx and trachea **940**
Iles DE *see* Curran JL **217**
Ip-Yaam PC, Cheong KF and **Koh KF** Placement of double-lumen endobronchial tubes: *correspondence* **682**
Irifune M, Sugimura M, Takarada T, Maeoka K, Shimizu Y, Dohi T, Nishikawa T and **Kawahara M** Propofol anaesthesia in mice is potentiated by muscimol and reversed by bicuculline **665**
Ishibe Y, Liu R, Ueda M, Mori K and **Miura N** Role of inhaled nitric oxide in ischaemia-reperfusion injury in the perfused rabbit lung **430**
Ishihara H *see* Hirota K **292**
Ishii T *see* Teramoto S **296**
ISPOCD group *see* Rasmussen LS **585**
Iwama H *see* Nakane M **397**

Jaggar SI, Scott HCF and **Rice ASC** Inflammation of the rat urinary bladder is associated with a referred thermal hyperalgesia which is nerve growth factor dependent **442**
Jakob SM, Kosonen P, Ruokonen E, Parviainen I and **Takala J** The Haldane effect–an alternative explanation for increasing gastric mucosal P_{CO_2} gradients? **740**
Jakob W *see* Funk W **571**
James KS *see* Marples IL **537**
James MFM Magnesium: *quo vadis?:* editorial **202**
James MFM *see* Ruttmann TG **330**
Jansen AJ, Andreica S, Claeys M, D'Haese J, Camu F and **Jochmans K** Use of tranexamic acid for an effective blood conservation strategy after total knee arthroplasty **596**
Jaumain H *see* Allaouchiche B **845**
Jeffrey HM, Charlton P, Mellor DJ, Modd E and **Vucevic M** Analgesia after intracranial surgery: a double-blind, prospective comparison of codeine and tramadol **245**
Jenkins BJ *see* Eggers KA **876**
Jenni R *see* Ecknauer E **343**
Jensen TS *see* Greisen J **235**
Jingree M *see* Kumar R **496**
Jochmans K *see* Jansen AJ **596**
Johnson F *see* Foley M **360**
Johnson IAT *see* Smith I **564**
Johnson TR, Stoneham M and **Knighton J,** Transient ischaemic attack during deep cervical plexus block: *correspondence* **965**
Jones J *see* Richardson J **387**
Jones M *see* Al-Shaikh B **805**
Jones RM *see* Khan ZP **372**; Thornton C **381**
Jorgensen C *see* Allen D **608**

Kadoya T *see* Takenaka I **962**
Kadoya T, Seto A, Aoyama K and **Takenaka I** Development of rapid atrial fibrillation with a wide QRS complex after neostigmine to a patient with intermittent Wolff-Parkinson-White syndrome **815**
Kam PCA *see* Turner RJ **346**
Kanbak M *see* Robson MJA **531**
Kapral S *see* Likar R **241**
Karaca S Videoendoscopic parathyroidectomy: *correspondence* **972**
Karoutsos S *see* Ng KFJ **539**
Katsumata N *see* Suzuki T **485**
Katz RL *see* Yardeni IZ **537**
Kawahara M *see* Irifune M **665**
Kawahito S, Kitahata H, Kimura H, Tanaka K and **Oshita S** Autotransfusion performed on a patient with cis AB blood group **491**
Kawamata M *see* Kawamata T **449**
Kawamata T, Omote K, Kawamata M and **Namiki A** Analgesic effect of intrathecal desipramine on carrageenan-induced thermal hyperalgesia in the rat **449**
Kehoe J *see* Dong C **516P**
Keller C and **Brimacombe J** Influence of neuromuscular block, mode of ventilation and respiratory cycle on pharyngeal mucosal pressures with the laryngeal mask airway **480**
Kellow N *see* Spackman DR **708**
Kelly PJ *see* Tremlett MR **257**
Kenaan CA *see* Abouleish EI **862**
Kendall JB *see* Thwaites AJ **410**
Kenny GNC and **Mantzaridis H** Closed-loop control of propofol anaesthesia **223**
Kenny GNC *see* Nanson J **194**
Keogh BF and **Bateman CJ** Lung protective ventilatory strategies–will these prevail in the next millennium?: *editorial* **829**
Kettler D *see* Crozier TA **547**
Khan ZP, Munday IT, Jones RM, Thornton C, Mant TG and **Amin D** Effects of dexmedetomidine on isoflurane requirements in healthy volunteers. 1: Pharmacodynamic and pharmacokinetic interactions **372**
Kidd C *see* Webster NR **181P**
Kim KS, Chung CW and **Shin WJ** Cisatracurium neuromuscular block at the adductor pollicis and the laryngeal adductor muscles in humans **483**
Kimura H *see* Kawahito S **491**
Kirchhoff K, Leuwer M, Thum P, Bornscheuer A and **Piepenbrock S** Different effects of dopamine and dopexamine on the isolated perfused rat kidney **898**
Kirkby J, Sneyd JR, Langton JA and **Moate RM** Effect of midazolam on cilia survival: *abstract* **527P**
Kitahata H *see* Kawahito S **491**
Knecht J *see* Krumholz W **333**
Knighton JD *see* McCrirrick A **688**; Johnson TR **965**; Pandit JJ **970**
Knocke TH *see* Gustorff B **673**
Knowles P *see* Van Oldenbeek C **338**
Kocks E *see* Englehard K **415**
Koelzow H *see* Bellamy MC **178P**
Koelzow H, Gedney JA, Perry SL, Smith L and **Bellamy MC** Methylene blue in reperfusion syndrome inhibits the effects of nitric oxide: *abstract* **512P**
Koh KF *see* Ip-Yaam PC **682**
Kolbitsch C, Schocke M, Hörmann C, Lorenz IH, Kremser C, Ellinger R, Zschiegner F, Felber S, Aichner F and **Benzer A** Effects of hyperoxia and hypocapnia on regional venous oxygen saturation in the primary visual cortex in conscious humans **835**
Kolbitsch Ch. *see* Raedler C **657**
Korttila K *see* Nelskylä K **576**
Kosonen P *see* Jakob SM **740**
Kraincuk P *see* Ihra G **940**
Krämer J *see* Brinkmeier H **855**
Krämer R *see* Brinkmeier H **855**
Kremser C *see* Kolbitsch C **835**

Kress HG *see* Gustorff B **673**
Kristensen PA *see* Rasmussen LS **585**
Krumholz W, Abdulle O, Knecht J and **Hempelmann G** Effects of i.v. anaesthetic agents on the chemotaxis of eosinophils *in vitro* **333**
Kubis HP *see* Leuwer M **528P**
Kubota T, Hirota K, Yoshida H, Takahashi S, Ohkawa H, Anzawa N, Kushikata T and **Matsuki A** Inhibitory effect of clonidine on ketamine-induced norepinephrine release from the medial prefrontal cortex in rats **945**
Kudo T *see* Hirota K **292**
Kuhn I *see* Wissing H **353**
Kulkarni V *see* Anderson V **185P**; Dark A **190P**
Kumar N, Smart D, Mason S, McKnight AT, Rowbotham DJ and **Lambert DG** Neither nociceptin nor its receptor are present in human synovial fluid or tissue **470**
Kumar R, West DM, Jingree M and **Laurence AS** Unusual consequences of heroin overdose: rhabdomyolsis, acute renal failure, paraplegia and hypercalcaemia **496**
Kushikata T *see* Kubota T **945**
Kusuma A *see* van den Broek WW **271**
Kyriakides K *see* Cobby TF **253**

Lahrimi A *see* Ng KFJ **539**
Lam H *see* Sear JW **172P**
Lam Y *see* O'Leary E **461**
Lambert DG *see* Buggy DJ **174P**; Hirota K **188P**; Forde S **189P**; Kumar N **470**
Lamont PM *see* Wolowczyk L **536**
Langenstein H, Andres AH and **Wakeling HG** Do not rely on a laryngeal mask in major periglottic pathology: *correspondence* **685**
Langford RM *see* Halfpenny DM **909**
Langton JA *see* Dashfield AK **518P**; Kirkby J **527P**; Christie IW **528P**; Benton JI **523P**
Lansiaux S *see* Tournadre JP **630**
Laorden ML *see* Milanés MV **784**
Larsen P *see* Galletly D **552**
Lass-Flörl C *see* Raedler C **657**
Latto P *see* Shaaban Ali M **521P**
Laurant P *see* Boillot A **622**
Laurence AS *see* Mahmoud NA **178P**; Kumar R **496**; Clough TM **523P**
Laurence AS Target-controlled infusion or manual control for anaesthetist-administered sedation during neuroradiology?: *abstract* **183P**
Le Cras AE *see* Galley HF **182P**
Leach A *see* Hall H **819**
Leather HA *see* de Wolff MH **780**
Lebovits AH *see* Eger EI **532**
Lee A *see* Yassen KA **325**
Lee BB, Ngan Kee WD, Hung VYS and **Wong ELY** Combined spinal-epidural analgesia in labour: comparison of two doses of intrathecal bupivacaine with fentanyl **868**
Lee J *see* Abouleish EI **862**
Lee M *see* Hammond EJ **356**
Lee SC *see* Wang JJ **772**
Leentjens AFG *see* van den Broek WW **271**
Lehmann-Horn F *see* Brinkmeier H **855**
Lehot JJ *see* Aouifi A **602**
Leslie NAP *see* Shajar MA **654**
Leuwer M *see* Kirchhoff K **898**
Leuwer M, Kubis HP, Zuzan O, Meyer N, Nowak R, Scheumann G and **Rueckoldt H** Weaning failure in two critically ill patients is associated with changes in myosin subtypes: *abstract* **528P**
Leuwer M, Meyer N, Zuzan O and **Nowak R** Possible muscular causes of weaning failure in critical illness. A novel aspect: *abstract* **186P**
Liao YC *see* Wang JJ **772**
Lichtwarck-Aschoff M, Hedlund AJ, Nordgren KA, Wegenius GA, Markström AM, Guttmann J and **Sjöstrand UH** Variables used to set PEEP in the lung lavage model are poorly related **890**
Lierz P *see* Gustorff B **673**
Likar R, Kapral S, Steinkellner H, Stein C and **Schäfer** Dose-dependency of intra-articular morphine analgesia **241**
Lim K, Smith AF, Cadamy J, Booth G, Wang CY and **Chiu CL** Effect of rocuronium compared with succinylcholine on IOP: *correspondence* **529**
Lim S *see* Wiklund CU **422**
Lindahl SGE *see* Wiklund CU **422**
Lindsten U *see* Wiklund CU **422**
Lingnau W *see* Raedler C **657**
Liu EHC *see* Drummond GB **355**
Liu R *see* Ishibe Y **430**
Liu YC *see* Wang JJ **772**
Liu YH *see* Wang JJ **772**
Lo JWR *see* Ng KFJ **539**
Lockwood GG and **White DC** Measuring the cost of desflurane anaesthesia: *abstract* **524P**
Lockwood GG *see* Holdcroft A **618**
Logan SD *see* Galley HF **182P**
Lorenz IH *see* Kolbitsch C **835**
Lorenz W *see* Doenicke AW **464**
Louder GR *see* Howell TK **358**
Lu O *see* Englehard K **415**
Lucas MA *see* Thornton C **381**

Ma D *see* Holdcroft A **618**
MacGowan SW *see* Gormley SMC **176P**
MacLeod J *see* MacLeod D **972**
Macleod S *see* Galley HF **169P**
MacLeod D, MacLeod J and **Fawcett WJ,** Magnesium: physiology and pharmacology: *correspondence* **972**
Maeoka K *see* Irifune M **665**
Mahajan RP *see* Bowie RA **187P**; Harrison JM **839**
Mahmoud NA, Rose T and **Laurence AS** Desflurane or sevoflurane for gynaecological day-case anaesthesia with spontaneous respiration?: *abstract* **178P**
Makino H *see* Morita K **734**
Male DA *see* Fawcett WJ **302**
Mallett SV *see* Wilkes NJ **352**
Malviya S *see* Howell TK **358**
Manabe M *see* Aono J **356**
Manning-Fox J *see* Pandit JJ **204**; Panditt JJ **210**
Manoah M *see* Dascalu A **405**
Mant TG *see* Khan ZP **372**
Mantzaridis H *see* Kenny GNC **223**
Marcus MAE *see* Buerkle H **436**
Marcus RJ, Victoria BA, Rushman S and **Thompson JP** Postoperative analgesia after paediatric tonsillectomy: comparison of morphine with ketamine: *abstract* **190P**
Marín MT *see* Milanés MV **784**
Markham AF *see* Curran JL **217**
Markovic D, Holdcroft A, Norton A and **May A** Obstetric anaesthetic charts: a national survey: *abstract* **525P**
Markström AM *see* Lichtwarck-Aschoff M **890**
Marlin DJ *see* Young LE **321**
Marples IL, Wrench I, Ure DS, James KS and **McNeill MJ** Glycopyrrolate reduces nausea but is dry mouth acceptable?: *correspondence* **537**
Mason S *see* Kumar N **470**
Massaut J *see* Detriche O **698**
Matsui H *see* Teramoto S **296**
Matsuki A *see* Hirota K **292**; Kubota T **945**
Matsuse T *see* Teramoto S **296**
Matsuyama M *see* Nitahara K **499**
Matta BF *see* Doyle PW **580**
May A *see* Markovic D **525P**
McBride WT *see* Gormley SMC **176P**; Bedi A **511P**
McCall SH *see* Curran JL **217**
McCarthy GJ *see* Caldwell JE **183P**
McClure JH *see* Garrioch MA **702**
McCourt KC, Elliott P, Mirakhur RK, McMurray TJ, Phillips AS and **Cochrane D** Haemodynamic effects of rapacuronium in adults with coronary artery or valvular disease **721**
McCoy EP *see* Hayes A **179P**
McCrirrick A, Williams J, Wildsmith JAW, Stoneham MD and **Knighton JD** Regional anaesthesia for carotid endarterectomy: *correspondence* **688**

McDougall RJ *see* Brown TCK **65**
McFarlane H *see* Thomson AR **175P**
McGrady EM *see* Burke D **750**
McIndoe AK *see* Hammond EJ **356**; Cohen A **525P**; Craven RM **747**
McKnight AT *see* Kumar N **470**
McLaren ID *see* Pandit JJ **970**
McLeod GA *see* Burke D **750**
McMurphy RM *see* Young LE **321**
McMurray TJ *see* Gormley SMC **176P**; McCourt KC **721**
McNeil IA, Culbert B and **Russell IF** Comparison on intubating conditions after propofol and succinylcholine with those after propofol and remifentanil: *abstract* **522P**
McNeill MJ *see* Marples IL **537**
McQuillan PJ *see* Deakin CD **682**; Deakin CD **965**
Meakin GH Low-flow anaesthesia in infants and children **50**
Mearns AJ *see* Richardson J **387**
Meehan N *see* Avidan MS **176P**
Mellor DJ *see* Jeffrey HM **245**
Menon G *see* Wood CC **968**
Mertens E *see* Adriaenssens G **393**
Mertens MJ, Vuyk J, Parivar K, Engbers FHM, Burm AGL and **Bovill JG** Pharmacodynamic interaction of eltanolone and alfentanil during lower abdominal surgery in female patients **250**
Meyer N *see* Leuwer M **186P**; Leuwer M **528P**
Mezei G *see* Chung F **262**
Mielke L *see* Englehard K **415**
Milanés MV, Fuente T, Marín MT and **Laorden ML** Catecholaminergic activity and 3′,5′-cyclic adenosine monophosphate concentrations in the right ventricle after acute and chronic morphine administration in the rat **784**
Millar SA, Alston RP, Souter MJ and **Andrews PJD** Aerobic, anaerobic and combination estimates of cerebral hypoperfusion during and after cardiac surgery **936**
Miller RD *see* Caldwell JE **183P**
Milligan K *see* Campbell C **191P**
Mills KG, Wright PMC, Pollard BJ, Scott JM, Hing JP, Danjoux G and **Hunter JM** Antagonism of rapacuronium using edrophonium or neostigmine: pharmacodynamics and pharmacokinetics **727**
Mirakhur RK *see* Hayes A **179P**; O'Hare R **180P**; McCourt KC **721**
Miranda-Caraballo JI *see* Akhtar TM **185P**
Miura N *see* Ishibe Y **430**
Mizobuchi S *see* Morita K **734**
Moalem Y *see* Dascalu A **405**
Moate RM *see* Kirkby J **527P**
Möllenberg O *see* Englehard K **415**
Moller JT *see* Rasmussen LS **585**
Monk CR Problems of Anesthesia: *book review* **543**
Moore EW Near Misses in Pulmonary and Cardiothoracic Critical Care: *review* **692**
Mori K *see* Ishibe Y **430**
Morita K, Otsuka F, Ogura T, Takeuchi M, Mizobuchi S, Yamauchi T, Makino H and **Hirakawa M** Sevoflurane anaesthesia causes a transient decrease in aquaporin-2 and impairment of urine concentration **734**
Morrison LMM *see* Burke D **750**
Morton NS Prevention and control of pain in children **118**
Morton NS *see* Ragg PG **533**
Moss E Problems in Anesthesia — Ambulatory Anesthesia: *book review* **543**
Moss E *see* Jeffrey HM **245**
Mroz L *see* Abouleish EI **862**
Muchada R *see* Tournadre JP **630**
Mulder PGH *see* van den Broek WW **271**
Munakata K *see* Suzuki T **485**
Munday IT *see* Khan ZP **372**
Muñoz H *see* Bugedo G **813**
Munro HM *see* Howell TK **358**
Murakawa M *see* Adachi T **488**
Murao K *see* Asai T **478**
Murdoch SD and **Bellamy MC** Current albumin use in a teaching hospital intensive care unit: *abstract* **188P**
Murdoch SD, Cohen AT and **Bellamy MC** Mortality and the use of pulmonary artery catheters: *abstract* **519P**
Murdoch SD, Gedney JA and **Bellamy MC** Functional iron deficiency and infection in critical illness: *abstract* **173P**
Murray JM *see* Bedi A **511P**
Myles PS *see* Foley M **360**; Barnardo PD **684**
Myles PS Why we need large randomized studies in anaesthesia: *editorial* **833**

Nagaoka E *see* Takenaka I **962**
Nagle C *see* Pigott DW **715**
Nakane M and **Iwama H** A potential mechanism of propofol-induced pain on injection based on studies using nafamostat mesilate **397**
Nakanishi K *see* Adaachi N **472**
Namiki A *see* Kawamata T **449**
Nanson J and **Kenny GNC** Avoiding movement at laryngeal mask airway insertion: *correspondence* **194**
Narumi Y *see* Saitoh Y **275**; Saitoh Y **340**
Nash T Epidemiology of Pain. A report of the Task Force on Epidemiology of the International Association for the Study of Pain: *review* **976**
Nathan N *see* Ng KFJ **539**
Neill F *see* Sear JW **172P**
Nelskylä K, Korttila K and **Yli-Hankala A** Comparison of sevoflurane—nitrous oxide and propofol—alfentanil—nitrous oxide anaesthesia for minor gynaecological surgery **576**
Neuvonen PJ *see* Palkama VJ **659**
Newton DEF *see* Thornton C **381**
Ng KFJ, Lo JWR, Karoutsos S, Nathan N, Lahrimi A, Grouille D and **Feiss P** Gelatin may not be the cause of hypercoagulability: *correspondence* **539**
Ngan Kee WD *see* Lee BB **868**
Nightingale P *see* Nirmalan M **170P**
Niijima K *see* Takenaka I **962**
Nirmalan M, Willard T and **Nightingale P** Computer simulation of pulmonary oxygen transfer in acute respiratory distress syndrome (ARDS): *abstract* **170P**
Nishikawa T *see* Irifune M **665**
Nitahara K, Sakuragi T, Matsuyama M and **Dan K** Response to vecuronium in a patient with facioscapulohumeral muscular dystrophy **499**
Nordgren KA *see* Lichtwarck-Aschoff M **890**
Norman J A History of Critical Care and Hyperbaric Oxygen Therapy: *review* **366**
Norton A *see* Markovic D **525P**
Nowak R *see* Leuwer M **186P**; Leuwer M **528P**
Nunn JF Development of academic anaesthesia in the UK up to the end of 1998 **916**

O'Hare R *see* Hayes A **179P**
O'Hare R, Reid J, Breslin D, Hayes A and **Mirakhur RK** Propofol-remifentanil interaction: influence on recovery: *abstract* **180P**
O'Leary E, Lam Y, Bryant AE, Burrin JM and **Hall GM** Etomidate and the osteocalcin response to gynaecological surgery **461**
O'Sullivan E *see* Barclay PM **518P**
Öcal T *see* Robson MJA **531**
Ogawa S *see* Suzuki T **485**
Ogura T *see* Morita K **734**
Ohga E *see* Teramoto S **296**
Ohkawa H *see* Kubota T **945**
Olkkola KT *see* Palkama VJ **659**
Omote K *see* Kawamata T **449**
Oshita S *see* Kawahito S **491**
Ostwald P *see* Doenicke AW **464**
Otsuka F *see* Morita K **734**
Ouchi Y *see* Teramoto S **296**

Palkama VJ, Neuvonen PJ and **Olkkola KT** Effect of itraconazole on the pharmacokinetics of bupivacaine enantiomers in healthy volunteers **659**
Pandit JJ, Manning-Fox J, Dorrington KL and **Robbins PA** Effects of subanaesthetic sevoflurane on ventilation. 1: Response to acute and sustained hypercapnia in humans **204**
Pandit JJ, Manning-Fox J, Dorrington KL and **Robbins PA** Effects of subanaesthetic sevoflurane on ventilation. 2: Response to acute and sustained hypoxia in humans **210**
Pandit JJ, McLaren ID, Crider B, Stoneham MD and **Knighton JD,** Efficacy and safety of the superficial cervical plexus block for carotid endarterectomy: *correspondence* **970**

Parivar K *see* Mertens MJ **250**
Parkins J *see* Tremlett MR **257**
Parviainen I *see* Jakob SM **740**
Patel C *see* Harvey A **174P**
Paterson RL, Galley HF and **Webster NR** Effect of N-acetylcysteine on mononuclear leucocyte nuclear factor kappa B activation in patients with sepsis: *abstract* **170P**
Payne KA *see* Howell TK **358**
Peachey T *see* Wilkes NJ **352**
Peacock J Opioids in Pain Control—Basic and Clinical Aspects: *review* **978**
Perel A, Dalibon N and **Riou B,** The value of ΔDown during haemorrhage: *correspondence* **967**
Perez M *see* Tamayo E **336**
Perry SL *see* Koelzow H **512P**
Phillips AS *see* McCourt KC **721**
Piepenbrock S *see* Kirchhoff K **898**
Pigott DW, Nagle C, Allman K, Westaby S and **Evans RD** Effect of omitting regular ACE inhibitor medication before cardiac surgery on haemodynamic variables and vasoactive drug requirements **715**
Piriou V *see* Aouifi A **602**
Pittman J, Dunnet JM, Checketts MR and **Wildsmith JAW** Central nerve block and thromboprophylaxis: *correspondence* **689**
Pittoni G *see* Della Puppa A **362**
Plöchl W *see* Ihra G **940**
Pollard B The Electronic Anaesthesiology Library: *review* **977**
Pollard BJ *see* Mills KG **727**
Ponte J *see* Harvey A **174P;** Avidan MS **176P;** Avidan MS **615**
Popat M *see* French GWG **475**
Pourriat JL *see* Smith I **564**
Powell RM and **Buggy DJ** Influence of ondansetron at induction on thermoregulation and shivering after general anaesthesia: *abstract* **173P**
Power I *see* Eggers KA **876**
Preckel B *see* Ebel D **903**
Pühringer F *see* Raedler C **657**
Purcell A *see* Tolley PM **328**

Raedler C, Lass-Flörl C, Pühringer F, Kolbitsch Ch., Lingnau W and **Benzer A** Bacterial contamination of needles used for spinal and epidural anaesthesia **657**
Ragg PG and **Morton NS** Analgesic efficacy of paracetamol and diclofenac in children receiving PCA morphine: *correspondence* **533**
Ramzan I *see* Turner RJ **346**
Randell T *see* Cossham PS **683**
Rasmussen H *see* Rasmussen LS **585**
Rasmussen LS, Steentoft A, Rasmussen H, Kristensen PA, Moller JT and **ISPOCD group** Benzodiazepines and postoperative cognitive dysfunction in the elderly **585**
Ravussin PA *see* Wilder-Smith OHG **590**
Redfern N *see* Tremlett MR **257**
Reeker W *see* Englehard K **415**
Reeve CD *see* Dong C **516P**
Reid AP *see* Smith JE **882**
Reid J *see* Hayes A **179P;** O'Hare R **180P**
Rhodes JKJ, Andrews PJD, Holmes M and **Seckl J** Expression of interleukin-6 messenger RNA in a rodent model of diffuse axonal injury: *abstract* **511P**
Rice ASC *see* Jaggar SI **442**
Richardson J Realizing visions: *editorial* **369**
Richardson J, Sabanathan S, Jones J, Shah RD, Cheema S and **Mearns AJ** A prospective, randomized comparison of preoperative and continuous balanced epidural or paravertebral bupivacaine on post-thoracotomy pain, pulmonary function and stress responses **387**
Richardson MG *see* Connery LE **493**
Riou B *see* Perel A **967**
Robbins PA *see* Pandit JJ **204;** Panditt JJ **210**
Roberts DJS *see* Cohen A **525P**
Robinson RL *see* Curran JL **217**
Robson MJA, Alston RP, Kanbak M, Ocal T, Harris DNF and **Gao F** Time course of neurone-specific enolase and S-100 protein release during and after coronary artery bypass grafting: *correspondence* **531**
Roelofse JA *see* Howell TK **358**
Roizen MF *see* Doenicke AW **464**
Rose JB and **Watcha MF** Postoperative nausea and vomiting in paediatric patients **104**
Rose T *see* Mahmoud NA **178Pt**
Ross JAS *see* Thomson AR **175P**
Rosser D and **Bion J** Measuring sedation in the ICU: guidelines on the scales?: *editorial* **693**
Rousson R *see* Aouifi A **602**
Rowbotham DJ *see* Kumar N **470**
Rüdel R *see* Brinkmeier H **855**
Rudick Z *see* Dascalu A **405**
Rueckoldt H *see* Leuwer M **528P**
Ruokonen E *see* Jakob SM **740**
Rushman S *see* Marcus RJ **190P**
Rushton ARA and **Sneyd JR** Towards a 'Mixifusor'? Simulating the addition of remifentanil to a target-controlled infusion of propofol: *abstract* **522P**
Russell IF *see* McNeil A **522P**
Russell R, Rutter S and **Tremlett MR,** Low-dose clonidin infusion during labour: *correspondence* **969**
Rutter S *see* Russell R **969**
Ruttmann TG and **James MFM** Pro-coagulant effect of *in vitro* haemodilution is not inhibited by aspirin **330**

Sabanathan S *see* Richardson J **387**
Saeki S *see* Suzuki T **485**
Saitoh Y, Narumi Y and **Fujii Y** Post-tetanic count and train-of-four responses during neuromuscular block produced by vecuronium and infusion of nicardipine **340**
Saitoh Y, Narumi Y, Fujii Y and **Ueki M** Tactile evaluation of fade of the train-of-four and double-burst stimulation using the anaesthetist's non-dominant hand **275**
Sakuragi T *see* Nitahara K **499**
Sanders DJ *see* Thomas PW **668**
Sanders H *see* Dimpel HL **801**
Sandher D *see* Clough TM **523P**
Santilli MB *see* Turner RJ **346**
Sapsed-Byrne SM *see* Holdcroft A **618**
Sarang K *see* Harvey A **174P**
Sato T *see* Hirota K **292**
Schabernig C *see* Ihra G **940**
Schäfer M *see* Likar R **241**
Schäpsmeier M *see* Buerkle H **436**
Scheumann G *see* Leuwer M **528P**
Schiffer E, Van Gessel E and **Gamulin Z** Influence of sex on cerebrospinal fluid density in adults **943**
Schlack W *see* Ebel D **903**
Schmalisch G *see* Wenzel U **503**
Schmid ER *see* Ecknauer E **343**
Schmidlin D *see* Ecknauer E **343**
Schmitt H, Druschky K, Hummel C and **Stefan H** Detection of an epileptic mirror focus after oral application of clonidine **349**
Schocke M *see* Kolbitsch C **835**
Scott DHT *see* Conway DH **964**
Scott HCF *see* Jaggar SI **442**
Scott JM *see* Mills KG **727**
Scott NB Mixing of propofol and lidocaine*: correspondence* **193**
Sear JW, Lam H, Neill F, Hooper RJL, French G and **Foex P** Do increased cardiac troponins predict early postoperative outcome in non-cardiac surgical patients?: *abstract* **172P**
Seckl J *see* Rhodes JKJ **511P**
Seed PT *see* Spackman DR **708**
Segawa H *see* Adachi T **488**
Seto A *see* Kadoya T **815;** Takenaka I **962**
Shaaban Ali M, Harmer M, Vaughan R, Latto P and **Dunne J** Predictors of cerebral oxygenation during warm cardiopulmonary bypass: *abstract* **521P**
Shah J, Ayorinde T and **Buggy DJ** Warm air sensation for assessment of sensory level after spinal anaesthesia: *abstract* **527P**
Shah RD *see* Richardson J **387**

Shajar MA, Thompson JP, Hall AP, Leslie NAP and **Fox AJ** Effect of a remifentanil bolus dose on the cardiovascular response to emergence from anaesthesia and tracheal extubation **654**
Sharma ML *see* Caldwell JE **183P**
Sharpe RM *see* Hasan KA **514P**; *see* Carrington M **515P**
Shelley MP Handbook of Critical Care: *book review* **196**
Sherry KM *see* Groves J **850**; Woodward DK **933**
Sherwood RA *see* Avidan MS **176P**
Shimizu Y *see* Irifune M **665**
Shin WJ *see* Kim KS **483**
Shingu K *see* Asai T **478**
Shipton EA *see* Howell TK **358**
Simpson AM *see* Burke D **750**
Sims C *see* Allen D **608**
Sjöstrand UH *see* Lichtwarck-Aschoff M **890**
Skelton VA and **Goodwin A** Perinatal management of a neonate with airway obstruction caused by rhabdomyosarcoma of the tongue **951**
Sleigh JW *see* Bruhn J **687**
Smart D Orexins: a new family of neuropeptides: *editorial* **695**
Smart D *see* Kumar N **470**
Smethurst D *see* Winter R **960**
Smith AF *see* Lim K **529**
Smith GB *see* Deakin CD **965**
Smith HS *see* Urwin SC **501**
Smith I *see* Thwaites AJ **410**
Smith I, Terhoeve PA, Hennart D, Feiss P, Harmer M and **Pourriat JL** and **Johnson IAT** A multicentre comparison of the costs of anaesthesia with sevoflurane or propofol **564**
Smith JE and **Reid AP** Asymptomatic intranasal abnormalities influencing the choice of nostril for nasotracheal intubation **882**
Smith L *see* Koelzow H **512P**
Sneyd JR *see* Byford AJ **514P**; Dong C **516P**; Rushton ARA **522P**; Benton JI **523P**; Kirkby J **527P**; Dimpel HL **801**
Snook N *see* Bellamy MC **178P**
Souter MJ *see* Millar SA **936**
Spackman DR, Kellow N, White SA, Seed PT and **Feneck RO** High frequency jet ventilation and gas trapping **708**
Srikant CB *see* Ibebunjo C **284**
Stamford JA *see* Halfpenny DM **909**
Stannard L *see* Fletcher R **184P**
Steentoft A *see* Rasmussen LS **585**
Stefan H *see* Schmitt H **349**
Stein C *see* Likar R **241**
Steinkellner H *see* Likar R **241**
Stocks G *see* Hallworth SP **520P**
Stoneham MD Less is more ... using systolic presure variation to assess hypovolaemia: *editorial* **550**
Stoneham MD *see* McCrirrick A **688**; Johnson TR **965**; Pandit JJ **970**
Strachan AN and **Edwards ND** Effect of remifentanil and propofol on BIS and sedation score: *abstract* **177P**
Strickland TL and **Drummond GB** Comparison of signs of anaesthesia using propofol, methohexital and sevoflurane: *abstract* **180P**
Stuart PC and **Hosie HE** Comparison of ropivacaine with bupivacaine in nerve blocks of the lower limb: *abstract* **186P**
Sugimura M *see* Irifune M **665**
Suzuki T, Munakata K, Watanabe N, Katsumata N, Saeki S and **Ogawa S** Augmentation of vecuronium-induced neuromuscular block during sevoflurane anaesthesia: comparison with balanced anaesthesia using propofol or midazolam **485**
Szenohradszky J *see* Caldwell JE **183P**

Tait AR *see* Howell TK **358**
Takahashi S *see* Kubota T **945**
Takala J *see* Jakob SM **740**
Takarada T *see* Irifune M **665**
Takenaka I *see* Kadoya T **815**
Takenaka I, Aoyama K, Nagaoka E, Seto A, Niijima K and **Kadoya T** Malposition of the epiglottis after tracheal intubation via the intubating laryngeal mask **962**
Takeuchi M *see* Morita K **734**
Tamayo E, Perez M, Gomez JI and **Alvarez FJ** Allergy to anaesthetizing agents in Spain **336**
Tanaka K *see* Kawahito S **491**
Teppema L *see* Dahan A **199**
Teramoto S, Matsui H, Ohga E, Ishii T, Matsuse T and **Ouchi Y** A novel model of aspiration in young and old guinea-pigs using LacZ gene transduction of adenovirus vector **296**
Terhoeve PA *see* Smith I **564**
Thämer V *see* Ebel D **903**
Thomas PW, Sanders DJ and **Berrisford RG** Pulmonary haemorrhage after percutaneous paravertebral block **668**
Thompson JP *see* Marcus RJ **190P**; Shajar MA **654**
Thomson AR, Canavan KS, Ross JAS, McFarlane H and **Tunstall ME** Comparison of Entonox and low-dose premixed isoflurane and desflurane for chest drain removal after cardiac surgery: *abstract* **175P**
Thomson LF *see* Anderson V **185P**
Thornton C *see* Khan ZP **372**; Hasan KA **514P**; Carrington M **515P**
Thornton C, Lucas MA, Newton DEF, Doré CJ and **Jones RM** Effects of dexmedetomidine on isoflurane requirements in healthy volunteers. 2: Auditory and somatosensory evoked responses **381**
Thornton S *see* Cochran D **530P**
Thum P *see* Kirchhoff K **898**
Thwaites AJ, Edmends S, Tomlinson AA, Kendall JB and **Smith I** Double-blind comparison of sevoflurane *vs* propofol and succinylcholine for tracheal intubation in children **410**
Timberlake C *see* Harvey A **174P**
Tolley PM, Purcell A and **Bolsin SN** Effect of i.v. furosemide on pelvic urinary oxygen tension in humans **328**
Tomlinson AA *see* Thwaites AJ **410**
Tong D *see* Chung F **262**
Tønnesen E *see* Greisen J **235**
Torri G *see* Casati A **872**
Tournadre JP, Muchada R, Lansiaux S and **Chassard D** Measurements of systolic time intervals using a transoesophageal pulsed echo-Doppler **630**
Tramèr MR *see* Henzi I **761**
Tremlett MR *see* Russell R **969**
Tremlett MR, Kelly PJ, Parkins J, Hughes D and **Redfern N** Low-dose clonidine infusion during labour **257**
Tseng C.-C *see* Chen T.-Y **948**
Tunstall ME *see* Thomson AR **175P**
Turner RJ, Kam PCA, Ramzan I and **Santilli MB** Effect of haemorrhage on plasma propofol concentrations in a patient undergoing orthotopic liver transplantation **346**
Twersky S *see* Eger EI **532**

Uchiyama M *see* Yoshino A **279**
Ueda K *see* Aono J **356**
Ueda M *see* Ishibe Y **430**
Ueda W *see* Aono J **356**; Cupitt JM **964**
Ueki M *see* Saitoh Y **275**
Uetsuki N *see* Adachi T **488**
Ure DS *see* Marples IL **537**
Urwin SC and **Smith HS** Fatal neopam overdose **501**

Van Aken H *see* Buerkle H **436**
van den Broek WW, Leentjens AFG, Mulder PGH, Kusuma A and **Bruijn JA** Low-dose esmolol bolus reduces seizure duration during electroconvulsive therapy: a double-blind, placebo-controlled study **271**
Van Gessel E *see* Schiffer E **943**
van Heerden N *see* Wheeler DW **973**
Van Oldenbeek C, Knowles P and **Harper NJN** Residual neuromuscular block caused by pancuronium after cardiac surgery **338**
Vaughan R *see* Shaaban Ali M **521P**
Vercauteren MP *see* Hoffmann VLH **807**
Vermeyen KM *see* Adriaenssens G **393**
Vickery PJ *see* Benton JI **523P**
Victoria BA *see* Marcus RJ **190P**
Vijn PCM *see* Byford AJ **514P**
Vilstrup H *see* Greisen J **235**
Vincent J.-L *see* Detriche O **698**
Voopel-Lewis T *see* Howell TK **358**
Vreugde J.-P *see* Hoffmann VLH **807**
Vucevic M *see* Jeffrey HM **245**
Vuyk J *see* Mertens MJ **250**

Wadsworth R *see* Conway DH **964**
Wagner MH *see* Wenzel U **503**
Wakeling HG *see* Della Puppa A **362**; Langenstein H **685**
Walder B *see* Henzi I **761**
Walker RWM *see* Howell TK **358**
Walsh K *see* Young LE **321**
Wang CY *see* Lim K **529**
Wang JJ, Ho ST, Liu YH, Lee SC, Liu YC, Liao YC and **Ho CM** Dexamethasone reduces nausea and vomiting after laparoscopic cholecystectomy **772**
Watanabe N *see* Suzuki T **485**
Watcha MF *see* Rose JB **104**
Wauer RR *see* Wenzel U **503**
Webster NR Organ Preservation. International Anesthesiology Clinics: *review* **691**
Webster NR *see* Engelhardt T **453**
Webster NR *see* Galley HF **169P**; Paterson RL **170P**; Yassen K **170P**; Carmichael RL **171P**; Galley HF **182P**; Anderson V **185P**; Yassen KA **325**; Galley HF: *commentary* **675**
Webster NR, Galley HF and **Kidd C** Xenon increases arterial pressure in anaesthetized rats: *abstract* **181P**
Wegenius GA *see* Lichtwarck-Aschoff M **890**
Wenzel U, Wauer RR, Wagner MH and **Schmalisch G** *In vitro* and *in vivo* assessment of the Ventrak 1550/Capnogard 1265 for single breath carbon dioxide analysis in neonates **503**
Werner C *see* Englehard K **415**
West DM *see* Kumar R **496**
West SP *see* Curran JL **217**
Westaby S *see* Pigott DW **715**
Wheeler DW, van Heerden N and **French GWG,** Itching after use of starch solutions: *correspondence* **973**
White DC *see* Lockwood GG **524P**
White JB *see* French GWG **475**
White SA *see* Spackman DR **708**
Wiklund CU, Lim S, Lindsten U and **Lindahl SGE** Relaxation by sevoflurane, desflurane and halothane in the isolated guinea-pig trachea via inhibition of cholinergic neurotransmission **422**
Wild K *see* Wissing H **353**
Wilder-Smith OHG, Ravussin PA, Decosterd LA, Despland PA and **Bissonnette B** Midazolam premedication and thiopental induction of anaesthesia: interactions at multiple end-points **590**
Wildsmith JAW *see* Gorton P **534**; McCrirrick A **688**, *see* Pittman J **689**; Garrioch MA **702**
Wilkes AR Moisture output of breathing system filters during the first 3 min of simulated use: *abstract* **520P**
Wilkes NJ, Mallett SV, Peachey T and **Yin B** Vertebral canal haematoma is a hazard of spinal-epidural anaesthesia in patients treated with low-molecular weight heparins: *correspondence* **352**
Willard T *see* Nirmalan M **170P**
Williams B *see* Bloor JWJ **517P**
Williams J *see* McCrirrick A **688**
Winter R and **Smethurst D** Percussion – a new day to diagnose a pneumothorax **960**
Wissing H, Kuhn I, Funk W, Gruber M, Wild K and **Hobbhahn J** Dry soda lime degrades sevoflurane during simulated inhalation induction: *correspondence* **353**
Wolf AR *see* Howell TK **358**
Wolowczyk L, Lamont PM and **Boldt J** Acute normovolaemic haemodilution *vs* controlled hypotension for blood conservation: *correspondence* **536**
Wong ELY *see* Lee BB **868**
Wood CC, Menon G and **Ayliffe W,** Subconjuctival block for cataract extraction and keratoplasty: *correspondence* **968**
Woodward DK, Sherry KM and **Harrison D** Antiemetic prophylaxis in cardiac surgery: comparison of metoclopramide and ondansetron **933**
Wouters PF *see* de Wolff MH **780**
Wrench I *see* Marples IL **537**
Wright PMC *see* Caldwell JE **183P**; Board PN **185P**
Wright PMC *see* Mills KG **727**
Wright W *see* Cholwill JM **611**
Wrigley SR *see* Dong C **516P**
Wüsten R *see* Buerkle H **436**

Yamada R *see* Yoshino A **279**
Yamauchi T *see* Morita K **734**
Yardeni IZ, Abramowitz A, Zelman V and **Katz RL** A new laryngoscope with flexible adjustable rigid blade: *correspondence* **537**
Yassen K, Galley HF and **Webster NR** Matrix metalloproteinase-9 concentrations in critically ill patients: *abstract* **170P**
Yassen KA, Galley HF, Lee A and **Webster NR** Mitochondrial redox state in the critically ill **325**
Yeo ST and **French R** Combined spinal—epidural in the obstetric patient with Harrington rods assisted by ultrasonography **670**
Yin B *see* Wilkes NJ **352**
Yli-Hankala A *see* Nelskylä K **576**
Yoshida H *see* Kubota T **945**
Yoshino A, Hashimoto Y, Hirashima J, Hakoda T, Yamada R and **Uchiyama M** Low-dose succinylcholine facilitates laryngeal mask airway insertion during thiopental anaesthesia **279**
Young I *see* Gormley SMC **176P**
Young LE, Marlin DJ, McMurphy RM, Walsh K and **Dixon PM** Effects of inhaled nitric oxide 10 ppm in spontaneously breathing horses anaesthetized with halothane **321**
Young PJ and **Blunt MC** Improving the shape and compliance characteristics of a high-volume, low-pressure cuff improves tracheal seal **887**
Young Y *see* Bellamy MC **178P**
Yukawa H *see* Asai T **478**

Zelman V *see* Yardeni IZ **537**
Zhu J *see* Abouleish EI **862**
Zideman DA Resuscitation **157**
Zschiegner F *see* Kolbitsch C **835**
Zuzan O *see* Leuwer M **186P**; Leuwer M **528P**

VOLUME 83 • SUBJECT INDEX

age factors, A novel model of aspiration in young and old guinea-pigs using LacZ gene transduction of adenovirus vector **296**
Benzodiazepines and postoperative cognitive dysfunction in the elderly **585**
airway, irritation, Dry soda lime degrades sevoflurane during simulated inhalation induction: *correspondence* **353**
airway, patency, Relaxant effect of propofol on the airway in dogs **292**
airway, reflexes, A novel model of aspiration in young and old guinea-pigs using LacZ gene transduction of adenovirus vector **296**
allergy, Allergy to anaesthetizing agents in Spain **336**
anaesthesia, audit, An audit of the use of alarms in anaesthetic monitoring: *abstract* 525P
Development of academic anaesthesia in the UK up to the end of 1998 **916**
Evidence-based anaesthetic practice: *correspondence* **360**
Is anaesthesia evidence-based?: *correspondence* **684**
Metoclopramide in the prevention of postoperative nausea and vomiting: a quantitative systematic review of randomized, placebo-controlled studies **761**
Obstetric anaesthetic charts: a national survey: *abstract* **525P**
Why we need large randomized studies in anaesthesia: *editorial* **833**
anaesthesia, day-case, A multicentre comparison of the costs of anaesthesia with sevoflurane or propofol **564**
Does addition of ankle block for day-case foot surgery improve patient satisfaction?: *abstract* **523P**
Hospital admission after day-case gynaecological laparoscopy **776**
Intraoperative therapeutic suggestions: *correspondence* **532**
Modern day-case anaesthesia for children **91**
Pre-existing medical conditions as predictors of adverse events in day-case surgery **262**
Recovery profiles after day-case diagnostic gynaecological laparoscopy: comparison of two anaesthetic techniques over 1 week follow-up: *abstract* **523P**
Tears at bedtime: *correspondence* **358**
anaesthesia, depth, Closed-loop control of propofol anaesthesia **223**
Comparison of signs of anaesthesia using propofol, methohexital and sevoflurane: *abstract* **180P**
EEG indices and heart rate variability as measures of depth of anaesthesia: *correspondence* **687**
Effects of dexmedetomidine on isoflurane requirements in healthy volunteers. 2: Auditory and somatosensory evoked responses **381**
Intraoperative therapeutic suggestions: *correspondence* **532**
anaesthesia, evidence-based, Evidence-based anaesthetic practice: *correspondence* **360**
Is anaesthesia evidence-based?: *correspondence* **684**
anaesthesia, general, Allergy to anaesthetizing agents in Spain **336**
Closed-loop control of propofol anaesthesia **223**
EEG indices and heart rate variability as measures of depth of anaesthesia: *correspondence* **687**
anaesthesia, geriatric, Benzodiazepines and postoperative cognitive dysfunction in the elderly **585**
anaesthesia, obstetric, Combined spinal—epidural in the obstetric patient with Harrington rods assisted by ultrasonography **670**
Comparison of 0.25% S(−)-bupivacaine with 0.25% RS-bupivacaine for epidural analgesia in labour **750**
Comparison of low-dose epidural with combined spinal-epidural analgesia for labour **756**
Comparison of pentastarch and Hartmann's solution for volume preloading in spinal anaesthesia for elective Caesarean section **475**
Emergency repair of incidentally diagnosed ascending aortic aneurysm immediately after Caesarean section **343**
Epidural anaesthesia for Caesarean section in a patient with severe Takayasu's disease **956**
Glycopyrrolate reduces nausea but is dry mouth acceptable?: *correspondence* **537**
Itching after use of starch solutions: *correspondence* **973**
Obstetric anaesthetic charts: a national survey: *abstract* **525P**
anaesthesia, obstetrics, Rapacuronium for modified rapid sequence induction in elective Caesarean section: neuromuscular blocking effects and safety compared with succinylcholine, and placental transfer **862**
anaesthesia, paediatric, Double-blind comparison of sevoflurane *vs* propofol and succinylcholine for tracheal intubation in children **410**
Equipment and monitoring in paediatricic anaesthesia **78**
Local and regional anaesthesia in children **65**
Low-flow anaesthesia in infants and children **50**
Medical assessment of the paediatric patient **3**
Modern day-case anaesthesia for children **91**
Neuromuscular blocking agents in paediatric anaesthesia **58**
New inhalation agents in paediatric anaesthesia **42**
New i.v. agents **29**
Paediatric intensive care **139**
Paediatric trauma **130**
Postoperative nausea and vomiting in paediatric patients **104**
Preoperative preparation and medication **16**
Prevention and control of pain in children **48**
Resuscitation **157**
Ropivacaine and bupivacaine for long-term epidural infusion in a small child **673**
Tears at bedtime: *correspondence* **358**
The paediatric patient: *editorial* **1**
anaesthetic local, bupivacaine, Low-dose infusion during labour: *correspondence* **969**
anaesthetic techniques, bronchoscopy, Systemic absorption of cocaine during fibreoptic bronchoscopy: *abstract* **518P**
anaesthetic techniques, costs, A multicentre comparison of the costs of anaesthesia with sevoflurane or propofol **564**
anaesthetic techniques, epdiural, Combined spinal—epidural in the obstetric patient with Harrington rods assisted by ultrasonography **670**
Bacterial contamination of needles used for spinal and epidural anaesthesia **657**
Central nerve block and thromboprophylaxis: *correspondence* **689**
Combined spinal-epidural analgesia in labour: comparison of two doses of intrathecal bupivacaine with fentanyl **868**
Comparison of 0.25% S(−)-bupivacaine with 0.25% RS-bupivacaine for epidural analgesia in labour **750**
Emergency repair of incidentally diagnosed ascending aortic aneurysm immediately after Caesarean section **343**
Epidural anaesthesia for Caesarean section in a patient with severe Takayasu's disease **956**
Posterior epidural space depth: safety of the loss of resistance and hanging drop techniques **807**
Ropivacaine and bupivacaine for long-term epidural infusion in a small child **673**
anaesthetic techniques, i.v. infusion, Effects of target-controlled infusion of propofol on the transient hyperaemic response and carbon dioxide reactivity in the middle cerebral artery **839**
anaesthetic techniques, i.v., Pharmacodynamic interaction of eltanolone and alfentanil during lower abdominal surgery in female patients **250**
anaesthetic techniques, induction Induction of anaesthesia in morbidly obese patients: *correspondence* **964**
Comparison of breathing methods for inhalation induction of anaesthesia **650**
Induction of anaesthesia in the lateral decubitus position in morbidly obese patients: *correspondence* **356**
Midazolam premedication and thiopental induction of anaesthesia: interactions at multiple end-points **590**
Rapacuronium (Org 9487) for use during rapid sequence induction of anaesthesia: comparison with succinylcholine: *abstract* **179P**
Rapacuronium for modified rapid sequence induction in elective Caesarean section: neuromuscular blocking effects and safety compared with succinylcholine, and placental transfer **862**

anaesthetic techniques, inhalation, Compound A does not accumulate during closed circuit sevoflurane anaesthesia with the Physioflex **571**
anaesthetic techniques, low-flow, Low-flow anaesthesia in infants and children **50**
anaesthetic techniques, regional, brachial plexus, Interscalene brachial plexus anaesthesia with 0.5%, 0.75% or 1% ropivacaine: a double-blind comparison with 2% mepivacaine **872**
anaesthetic techniques, regional, cervical plexus, Efficacy and safety of the superficial cervical plexus block for carotid endarterectomy: *correspondence* **970**
Regional anaesthesia for carotid endarterectomy: *correspondence* **688**
Transient ischaemic attack during deep cervical plexus block: *correspondence* **965**
anaesthetic techniques, regional, Comparison of ropivacaine with bupivacaine in nerve blocks of the lower limb: *abstract* **186P**
Does addition of ankle block for day-case foot surgery improve patient satisfaction?: *abstract* **523P**
Local and regional anaesthesia in children **65**
anaesthetic techniques, regional, paravertebral, Pulmonary haemorrhage after percutaneous paravertebral block **668**
anaesthetic techniques, regional, subconjunctival, Subconjunctival block for cataract extraction and keratoplasty: *correspondence* **968**
anaesthetic techniques, spinal, Combined spinal—epidural in the obstetric patient with Harrington rods assisted by ultrasonography **670**
anaesthetic techniques, subarachnoid, Bacterial contamination of needles used for spinal and epidural anaesthesia **657**
Central nerve block and thromboprophylaxis: *correspondence* **534**
Combined spinal-epidural analgesia in labour: comparison of two doses of intrathecal bupivacaine with fentanyl **868**
Comparison of pentastarch and Hartmann's solution for volume preloading in spinal anaesthesia for elective Caesarean section **475**
Glycopyrrolate reduces nausea but is dry mouth acceptable?: *correspondence* **537**
Influence of sex on cerebrospinal fluid density in adults **943**
Itching after use of starch solutions: *correspondence* **973**
Warm air sensation for assessment of sensory level after spinal anaesthesia: *abstract* **527P**
anaesthetic techniques, target controlled,
Effect of target-controlled infusion of propofol on the auditory evoked response, median frequency and spectral edge in humans: *abstract* **514P**
Towards a 'Mixifusor'? Simulating the addition of remifentanil to a target-controlled infusion of propofol: *abstract* **522P**
anaesthetics gases, nitrous oxide, Closed-loop sedation during knee surgery under epidural anaesthesia: *abstract* **516P**
Comparison of sevoflurane-nitrous oxide and propofol-alfentanil-nitrous oxide anaesthesia for minor gynaecological surgery **576**
Dose nitrous oxide affect closed-loop anaesthetic propofol?: *abstract* **516P**
Evaluation of pressure changes in a new design tracheal tube cuff, the Portex Soft Seal, during nitrous oxide anaesthesia **805**
Low-dose nitrous oxide and dyspnoea: *correspondence* **357**
anaesthetics gases, xenon, Effect of xenon on cytokine balance and adhesion molecule expression in an isolated cardiopulmonary bypass circuit: *abstract* **511P**
Effects of isoflurane, xenon and ketamine on tetrahydrobiopterin, nitric oxide production and cGMP in rat spinal cord: *abstract* **182P**
Xenon increases arterial pressure in anaesthetized rats: *abstract* **181P**
anaesthetics i.v., eltanolone, Pharmacodynamic interaction of eltanolone and alfentanil during lower abdominal surgery in female patients **250**
anaesthetics i.v., etomidate, Effects of i.v. anaesthetic agents on the chemotaxis of eosinophils *in vitro* **333**
Solvent for etomidate may cause pain and adverse effects **464**
anaesthetics i.v., ketamine, Effects of i.v. anaesthetic agents on the chemotaxis of eosinophils *in vitro* **333**
Effects of isoflurane, xenon and ketamine on tetrahydrobiopterin, nitric oxide production and cGMP in rat spinal cord: *abstract* **182P**
Inhibitory effect of clonidine on ketamine-induced norepinephrine release from the medial prefrontal cortex in rats **945**
New i.v. agents **29**
Postoperative analgesia after paediatric tonsillectomy: comparison of morphine with ketamine: *abstract* **190P**
Postoperative analgesia with i.v. patient-controlled morphine: effect of adding ketamine **393**
Reversal of the inhibitory effect of propofol, but not of ketamine, on K^+ evoked glutamate release from rat cerebrocortical slices by the $GABA_A$ antagonist bicuculline: *abstract* **174P**
anaesthetics i.v., methohexital, Comparison of signs of anaesthesia using propofol, methohexital and sevoflurane: *abstract* **180P**
Effects of i.v. anaesthetic agents on the chemotaxis of eosinophils *in vitro* **333**
anaesthetics i.v., New i.v. agents **29**
Profiling novel i.v. anaesthetic agents with a rat EEG model: *abstract* **514P**
anaesthetics i.v., propofol, A multicentre comparison of the costs of anaesthesia with sevoflurane or propofol **564**
A potential mechanism of propofol-induced pain on injection based on studies using nafamostat mesilate **397**
Augmentation of vecuronium-induced neuromuscular block during sevoflurane anaesthesia: comparison with balanced anaesthesia using propofol or midazolam **485**
Closed-loop control of propofol anaesthesia **223**
Closed-loop sedation during knee surgery under epidural anaesthesia: *abstract* **516P**
Comparison of sevoflurane-nitrous oxide and propofol-alfentanil-nitrous oxide anaesthesia for minor gynaecological surgery **576**
Comparison on intubating conditions after propofol and succinylcholine with those after propofol and remifentanil: *abstract* **522P**
Dose nitrous oxide affect closed-loop anaesthetic propofol?: *abstract* **516P**
Double-blind comparison of sevoflurane *vs* propofol and succinylcholine for tracheal intubation in children **410**
Effect of haemorrhage on plasma propofol concentrations in a patient undergoing orthotopic liver transplantation **346**
Effect of propofol on reperfusion injury after regional ischaemia in the isolated rat heart **903**
Effect of target-controlled infusion of propofol on the auditory evoked response, median frequency and spectral edge in humans: *abstract* **514P**
Effects of i.v. anaesthetic agents on the chemotaxis of eosinophils *in vitro* **333**
Effects of propofol on extracellular acidification rates in primary cortical cell culture: application of silicon microphysiometry to anaesthesia **467**
Effects of propofol on vascular reactivity in isolated aortae from normotensive and spontaneously hypertensive rats **622**
Effects of target-controlled infusion of propofol on the transient hyperaemic response and carbon dioxide reactivity in the middle cerebral artery **839**
New i.v. agents **29**
Propofol anaesthesia in mice is potentiated by muscimol and reversed by bicuculline **665**
Recovery profiles after day-case diagnostic gynaecological laparoscopy: comparison of two anaesthetic techniques over 1 week follow-up: *abstract* **523P**
Relaxant effect of propofol on the airway in dogs **292**
Reversal of the inhibitory effect of propofol, but not of ketamine, on K^+ evoked glutamate release from rat cerebrocortical slices by the $GABA_A$ antagonist bicuculline: *abstract* **174P**
Target-controlled infusion or manual control for anaesthetist-administered sedation during neuroradiology?: *abstract* **182P**
Towards a 'Mixifusor'? Simulating the addition of remifentanil to a target-controlled infusion of propofol: *abstract* **522P**
anaesthetics i.v., thiopental, Effects of i.v. anaesthetic agents on the chemotaxis of eosinophils *in vitro* **333**
Low-dose succinylcholine facilitates laryngeal mask airway insertion during thiopental anaesthesia **279**
Midazolam premedication and thiopental induction of anaesthesia: interactions at multiple end-points **590**
anaesthetics local, A prospective, randomized comparison of preoperative and continuous balanced epidural or paravertebral bupivacaine on post-thoracotomy pain, pulmonary function and stress responses **387**
Acute pain induces an instant increase in natural killer cell cytotoxicity in humans and this response is abolished by local anaesthesia **235**

Influence of sex on cerebrospinal fluid density in adults **943**
anaesthetics local, bupivacaine, Combined spinal-epidural analgesia in labour: comparison of two doses of intrathecal bupivacaine with fentanyl **868**
Comparison of 0.25% S(–)-bupivacaine with 0.25% RS-bupivacaine for epidural analgesia in labour **750**
Comparison of ropivacaine with bupivacaine in nerve blocks of the lower limb: *abstract* **186P**
Effect of itraconazole on the pharmacokinetics of bupivacaine enantiomers in healthy volunteers **659**
Low-dose clonidine infusion during labour **257**
Ropivacaine and bupivacaine for long-term epidural infusion in a small child **673**
Sensory hyperinnervation after neonatal skin wounding: effect of bupivacaine sciatic nerve block **662**
Use of dextrose to produce isobaric solutions of bupivacaine and bupivacaine-opioid combinations at 37°C: *abstract* **520P**
anaesthetics local, cocaine, Systemic absorption of cocaine during fibreoptic bronchoscopy: *abstract* **518P**
anaesthetics local, lidocaine, A potential mechanism of propofol-induced pain on injection based on studies using nafamostat mesilate **397**
Mixing of propofol and lidocaine: *correspondence* **193**
anaesthetics local, Local and regional anaesthesia in children **65**
anaesthetics local, mepivacaine, Interscalene brachial plexus anaesthesia with 0.5%, 0.75% or 1% ropivacaine: a double-blind comparison with 2% mepivacaine **872**
anaesthetics local, procaine, Pre-ischaemic administration of procaine suppresses ischaemic glutamate release and reduces neuronal damage in the gerbil hippocampus **472**
anaesthetics local, ropivacaine, Comparison of ropivacaine with bupivacaine in nerve blocks of the lower limb: *abstract* **186P**
Interscalene brachial plexus anaesthesia with 0.5%, 0.75% or 1% ropivacaine: a double-blind comparison with 2% mepivacaine **872**
Ropivacaine and bupivacaine for long-term epidural infusion in a small child **673**
anaesthetics volatile, desflurane, Arterial to inspired partial pressure ratio of halothane, isoflurane, sevoflurane and desflurane in rats **618**
Comparison of Entonox and low-dose premixed isoflurane and desflurane for chest drain removal after cardiac surgery: *abstract* **175P**
Desflurane and isoflurane improve neurological outcome after incomplete cerebral ischaemia in rats **415**
Measuring the cost of desflurane anaesthesia: *abstract* **524P**
New inhalation agents in paediatric anaesthesia **42**
Relaxation by sevoflurane, desflurane and halothane in the isolated guinea-pig trachea via inhibition of cholinergic neurotransmission **422**
anaesthetics volatile, Dry soda lime degrades sevoflurane during simulated inhalation induction: *correspondence* **353**
Influence of low-dose anaesthetic agents on ventilatory control: where do we stand?: *editorial* **199**
anaesthetics volatile, halothane, A novel model of aspiration in young and old guinea-pigs using LacZ gene transduction of adenovirus vector **296**
Arterial to inspired partial pressure ratio of halothane, isoflurane, sevoflurane and desflurane in rats **618**
Bolus *vs* cumulative administration of halothane for contracture testing in malignant hyperthermia diagnosis: *abstract* **529P**
Effects of inhaled nitric oxide 10 ppm in spontaneously breathing horses anaesthetized with halothane **321**
Relaxation by sevoflurane, desflurane and halothane in the isolated guinea-pig trachea via inhibition of cholinergic neurotransmission **422**
anaesthetics volatile, isoflurane, Arterial to inspired partial pressure ratio of halothane, isoflurane, sevoflurane and desflurane in rats **618**
Comparison of Entonox and low-dose premixed isoflurane and desflurane for chest drain removal after cardiac surgery: *abstract* **175P**
Desflurane and isoflurane improve neurological outcome after incomplete cerebral ischaemia in rats **415**
Effects of a nitric oxide scavenger, carboxy-PTIO, on isoflurane MAC and cerebellar nitric oxide synthase activity in rats **948**
Effects of dexmedetomidine on isoflurane requirements in healthy volunteers. 1: Pharmacodynamic and pharmacokinetic interactions **372**
Effects of dexmedetomidine on isoflurane requirements in healthy volunteers. 2: Auditory and somatosensory evoked responses **381**
Effects of tramadol on minimum alveolar concentration (MAC) of isoflurane in rats **780**
Measuring the cost of desflurane anaesthesia: *abstract* **524P**
anaesthetics volatile, sevoflurane, A multicentre comparison of the costs of anaesthesia with sevoflurane or propofol **564**
Augmentation of vecuronium-induced neuromuscular block during sevoflurane anaesthesia: comparison with balanced anaesthesia using propofol or midazolam **485**
Arterial to inspired partial pressure ratio of halothane, isoflurane, sevoflurane and desflurane in rats **618**
Comparison of breathing methods for inhalation induction of anaesthesia **650**
Comparison of sevoflurane-nitrous oxide and propofol-alfentanil-nitrous oxide anaesthesia for minor gynaecological surgery **576**
Compound A does not accumulate during closed circuit sevoflurane anaesthesia with the Physioflex **571**
Double-blind comparison of sevoflurane *vs* propofol and succinylcholine for tracheal intubation in children **410**
Dry soda lime degrades sevoflurane during simulated inhalation induction: *correspondence* **353**
Effects of subanaesthetic sevoflurane on ventilation. 1: Response to acute and sustained hypercapnia in humans **204**
Effects of subanaesthetic sevoflurane on ventilation. 2: Response to acute and sustained hypoxia in humans **210**
New inhalation agents in paediatric anaesthesia **42**
Relaxation by sevoflurane, desflurane and halothane in the isolated guinea-pig trachea via inhibition of cholinergic neurotransmission **422**
Sevoflurane anaesthesia causes a transient decrease in aquaporin-2 and impairment of urine concentration **734**
Sevoflurane anaesthesia with an Oxford Miniature Vaporizer: *correspondence* **355**
anaesthetist, activity, Continuous auditory monitoring–how much information do we register? **747**
Development of academic anaesthesia in the UK up to the end of 1998 **916**
Evidence-based anaesthetic practice: *correspondence* **360**
Is anaesthesia evidence-based?: *correspondence* **684**
An audit of the use of alarms in anaesthetic monitoring: *abstract* **525P**
anaesthetist, performance, Psychomotor aptitude testing and the performance of obstetric epidural analgesia by anaesthetic trainees: *abstract* **518P**
anaesthetist, training, Psychomotor aptitude testing and the performance of obstetric epidural analgesia by anaesthetic trainees: *abstract* **518P**
The 'METI' simulator at the Bristol Medical Simulation Centre: *abstract* **526P**
analgesia, obstetric, Comparison of low-dose epidural with combined spinal-epidural analgesia for labour **756**
Low-dose clonidine infusion during labour **257**
Low-dose combined spinal-epidural analgesia in labour: *correspondence* **192**
Low-dose clonidine infusion during labour: *correspondence* **969**
Psychomotor aptitude testing and the performance of obstetric epidural analgesia by anaesthetic trainees: *abstract* **518P**
analgesia, obstetrics, Combined spinal-epidural analgesia in labour: comparison of two doses of intrathecal bupivacaine with fentanyl **868**
analgesia, paediatric, Analgesic efficacy of paracetamol and diclofenac in children receiving PCA morphine: *correspondence* **533**
Effect of tropisetron on vomiting during patient-controlled analgesia in children **608**
Equipment and monitoring in paediatric anaesthesia **78**
Modern day-care anaesthesia for children **91**
Paediatric intensive care **139**
Prevention and control of pain in children **118**
Tears at bedtime: *correspondence* **358**
analgesia, patient-controlled, Effect of tropisetron on vomiting during patient-controlled analgesia in children **608**

Low-dose combined spinal-epidural analgesia in labour: *correspondence* **192**
Postoperative analgesia with i.v. patient-controlled morphine: effect of adding ketamine **393**
analgesia, pre-emptive, Pulmonary haemorrhage after percutaneous paravertebral block **668**
analgesic techniques, epidural, Low-dose combined spinal-epidural analgesia in labour: *correspondence* **192**
A prospective, randomized comparison of preoperative and continuous balanced epidural or paravertebral bupivacaine on post-thoracotomy pain, pulmonary function and stress responses **387**
Comparison of low-dose epidural with combined spinal-epidural analgesia for labour **756**
Low-dose clonidine infusion during labour **257**
Low-dose infusion during labour: *correspondence* **969**
Pain scores after total hip arthroplasty: prospective, randomized, open comparison of two analgesic techniques: *abstract* **528P**
Psychomotor aptitude testing and the performance of obstetric epidural analgesia by anaesthetic trainees: *abstract* **518P**
analgesic techniques, Prevention and control of pain in children **118**
analgesic techniques, regional, intra-articular, Dose-dependency of intra-articular morphine analgesia **241**
analgesic techniques, regional, Pain scores after total hip arthroplasty: prospective, randomized, open comparison of two analgesic techniques: *abstract* **528P**
analgesic techniques, regional, paravertebral, A prospective, randomized comparison of preoperative and continuous balanced epidural or paravertebral bupivacaine on post-thoracotomy pain, pulmonary function and stress responses **387**
Paravertebral block in the management of liver capsule pain after blunt trauma **819**
analgesic techniques, subarachnoid, Comparison of low-dose epidural with combined spinal-epidural analgesia for labour **756**
Low-dose combined spinal-epidural analgesia in labour: *correspondence* **192**
analgesics non-opioid, codeine, Analgesia after intracranial surgery: a double-blind, prospective comparison of codeine and tramadol **245**
analgesics non-opioid, diclofenac, Analgesic efficacy of paracetamol and diclofenac in children receiving PCA morphine: *correspondence* **533**
Rectal paracetamol has a significant morphine-sparing effect after hysterectomy **253**
analgesics non-opioid, nefopam, Fatal nefopam overdose **501**
analgesics non-opioid, paracetamol, Analgesic efficacy of paracetamol and diclofenac in children receiving PCA morphine: *correspondence* **533**
Rectal paracetamol has a significant morphine-sparing effect after hysterectomy **253**
analgesics non-opioid, tenoxicam, Effect of oral and i.v. tenoxicam in postoperative pain after total knee replacement **876**
analgesics opioid, alfentanil, A possible adrenergic involvement in the anaesthetic action of alfentanil: *abstract* **181P**
Comparison of sevoflurane-nitrous oxide and propofol-alfentanil-nitrous oxide anaesthesia for minor gynaecological surgery **576**
Pharmacodynamic interaction of eltanolone and alfentanil during lower abdominal surgery in female patients **250**
analgesics opioid, dihydrocodeine, Fatal nefopam overdose **501**
analgesics opioid, fentanyl, Combined spinal-epidural analgesia in labour: comparison of two doses of intrathecal bupivacaine with fentanyl **868**
analgesics opioid, morphine, Catecholaminergic activity and 3′,5′ - cyclic adenosine monophosphate concentrations in the right ventricle after acute and chronic morphine administration in the rat **784**
Dose-dependency of intra-articular morphine analgesia **241**
Effects of tramadol on minimum alveolar concentration (MAC) of isoflurane in rats **780**
Postoperative analgesia after paediatric tonsillectomy: comparison of morphine with ketamine: *abstract* **190P**
Postoperative analgesia with i.v. patient-controlled morphine: effect of adding ketamine **393**
Rectal paracetamol has a significant morphine-sparing effect after hysterectomy **253**
analgesics opioid, New i.v. agents **29**
Use of dextrose to produce isobaric solutions of bupivacaine and bupivacaine-opioid combinations at 37°C: *abstract* **520P**
analgesics opioid, remifentanil, Comparison of esmolol and alfentanil on the auditory evoked response and haemodynamic response to intubation: *abstract* **515P**
Comparison on intubating conditions after propofol and succinylcholine with those after propofol and remifentanil: *abstract* **522P**
Effect of a remifentanil bolus dose on the cardiovascular response to emergence from anaesthesia and tracheal extubation **654**
Effect of remifentanil and propofol on BIS and sedation score: *abstract* **177P**
Propofol-remifentanil interaction: influence on recovery: *abstract* **180P**
Recovery profiles after day-case diagnostic gynaecological laparoscopy: comparison of two anaesthetic techniques over 1 week follow-up: *abstract* **523P**
Towards a 'Mixifusor'? Simulating the addition of remifentanil to a target-controlled infusion of propofol: *abstract* **522P**
analgesics opioid, tramadol, Analgesia after intracranial surgery: a double-blind, prospective comparison of codeine and tramadol **245**
Effects of tramadol on minimum alveolar concentration (MAC) of isoflurane in rats **780**
Effects of tramadol stereoisomers on norepinephrine efflux and uptake in the rat locus coeruleus measured by real time voltammetry **909**
anatomy, epidural space, Anatomy of the lumbar epidural region: *correspondence* **974**
Posterior epidural space depth: safety of the loss of resistance and hanging drop techniques **807**
Realizing visions: *editorial* **369**
Topographical anatomy of the lumbar epidural region: an *in vivo* study using computerized axial tomography **229**
antagonists neuromuscular block, neostigmine, Development of rapid atrial fibrillation with a wide QRS complex after neostigmine to a patient with intermittent Wolff-Parkinson-White syndrome **815**
anticonvulsants, phenytoin, Influence of chronic phenytoin administration on the pharmacokinetics and pharmacodynamics of vecuronium: *abstract* **183P**
arterial pressure, hypertension, Epidural anaesthesia for Caesarean section in a patient with severe Takayasu's disease **956**
arterial pressure, hypotension, Effect of omitting regular ACE inhibitor medication before cardiac surgery on haemodynamic variables and vasoactive drug requirements **715**
arterial pressure, Lysine diminishes arginine metabolism but does not affect arterial pressure: *abstract* **185P**
The value of ΔDown during haemorrhage: *correspondence* **967**
arterial pressure, measurement, Xenon increases arterial pressure in anaesthetized rats: *abstract* **181P**
ataractics, cannabis, Adverse effects of cannabis and cannabinoids **637**
Avoiding movement at laryngeal mask airway insertion: *correspondence* **194**
Avoiding movement at laryngeal mask airway insertion: *correspondence* **194**
Best ventilator setting for major gynaecological laparoscopic surgery: *abstract* **184P**

blood, anticoagulants, aspirin, Pro-coagulant effect of *in vitro* haemodilution is not inhibited by aspirin **330**
blood, anticoagulants, heparin, Central nerve block and thromboprophylaxis: *correspondence* **534**
Central nerve block and thromboprophylaxis: *correspondence* **689**
Vertebral canal haematoma is a hazard of spinal-epidural anaesthesia in patients treated with low-molecular weight heparins: *correspondence* **352**
Self-prepared heparinized syringes for measuring ionized magnesium in critical care patients **810**
blood, anticoagulants, Use of tranexamic acid for an effective blood conservation strategy after total knee arthroplasty **596**
blood, coagulation, Acute normovolaemic haemodilution *vs* controlled hypotension for blood conservation: *correspondence* **536**
Central nerve block and thromboprophylaxis: *correspondence* **534**
Central nerve block and thromboprophylaxis: *correspondence* **689**
Gelatin may not be the cause of hypercoagulability: *correspondence* **539**

Pro-coagulant effect of *in vitro* haemodilution is not inhibited by aspirin **330**
Use of tranexamic acid for an effective blood conservation strategy after total knee arthroplasty **596**
Vertebral canal haematoma is a hazard of spinal-epidural anaesthesia in patients treated with low-molecular weight heparins: *correspondence* **352**
blood, DCLHb, Haemodynamic effects of diaspirin crosslinked haemoglobin (DCLHb) given before abdominal aortic aneurysm surgery **702**
blood, eosinophils, Effects of i.v. anaesthetic agents on the chemotaxis of eosinophils *in vitro* **333**
blood, flow, Measurements of systolic time intervals using a transoesophageal pulsed echo-Doppler **630**
blood, group, Autotransfusion performed on a patient with cis AB blood group **491**
blood, haemodilution, Acute normovolaemic haemodilution *vs* controlled hypotension for blood conservation: *correspondence* **536**
Pro-coagulant effect of *in vitro* haemodilution is not inhibited by aspirin **330**
blood, haemoglobin, Haemodynamic effects of diaspirin crosslinked haemoglobin (DCLHb) given before abdominal aortic aneurysm surgery **702**
blood, hypovolaemia, The value of ΔDown during haemorrhage: *correspondence* **967**
blood, ketone bodies, Mitochondrial redox state in the critically ill **325**
blood, leucocytes, Effect of N-acetylcysteine on mononuclear leucocyte nuclear factor kappa B activation in patients with sepsis: *abstract* **170P**
blood, loss, Use of tranexamic acid for an effective blood conservation strategy after total knee arthroplasty **596**
blood, natural killer cells, Acute pain induces an instant increase in natural killer cell cytotoxicity in humans and this response is abolished by local anaesthesia **235**
blood, nuclear factor kappa B, Effect of N-acetylcysteine on mononuclear leucocyte nuclear factor kappa B activation in patients with sepsis: *abstract* **170P**
blood, replacement, Acute normovolaemic haemodilution *vs* controlled hypotension for blood conservation: *correspondence* **536**
Gelatin may not be the cause of hypercoagulability: *correspondence* **539**
Use of tranexamic acid for an effective blood conservation strategy after total knee arthroplasty **596**
blood, substitutes, Acute normovolaemic haemodilution *vs* controlled hypotension for blood conservation: *correspondence* **536**
Gelatin may not be the cause of hypercoagulability: *correspondence* **539**
blood, transfusion, Acute normovolaemic haemodilution *vs* controlled hypotension for blood conservation: *correspondence* **536**
Autotransfusion performed on a patient with cis AB blood group **491**
Use of tranexamic acid for an effective blood conservation strategy after total knee arthroplasty **596**
blood, vascular endothelial growth factor, Vascular endothelial growth factor and bioimpedance in critically ill patients: *abstract* **169P**
brain, blood flow, Effects of target-controlled infusion of propofol on the transient hyperaemic response and carbon dioxide reactivity in the middle cerebral artery **839**
brain, carbon dioxide tension, Effects of hyperoxia and hypocapnia on regional venous oxygen saturation in the primary visual cortex in conscious humans **835**
brain, cortex, Inhibitory effect of clonidine on ketamine-induced norepinephrine release from the medial prefrontal cortex in rats **945**
brain, dysfunction, Time course of neurone-specific enolase and S-100 protein release and after coronary artery bypass grafting: *correspondence* **531**
brain, electroconvulsive therapy, Low-dose esmolol bolus reduces seizure duration during electroconvulsive therapy: a double-blind, placebo-controlled study **271**
brain, evoked potenials, Effects of dexmedetomidine on isoflurane requirements in healthy volunteers. 2: Auditory and somatosensory evoked responses **381**
Closed-loop control of propofol anaesthesia **223**
Effect of target-controlled infusion of propofol on the auditory evoked response, median frequency and spectral edge in humans: *abstract* **514P**
brain, GABA, Propofol anaesthesia in mice is potentiated by muscimol and reversed by bicuculline **665**
brain, hyperaemic response, Effect of the magnitude of the decrease in middle cerebral artery flow velocity during the hyperaemic response test on calculated indices of autoregulation: *abstract* **187P**
brain, injury, Expression of interleukin-6 messenger RNA in a rodent model of diffuse axonal injury: *abstract* **511P**
brain, ischaemia, Desflurane and isoflurane improve neurological outcome after incomplete cerebral ischaemia in rats **415**
Pre-ischaemic administration of procaine suppresses ischaemic glutamate release and reduces neuronal damage in the gerbil hippocampus **472**
brain, magnet resonance imaging, Effects of hyperoxia and hypocapnia on regional venous oxygen saturation in the primary visual cortex in conscious humans **835**
brain, metabolism, Burst suppression or isoelectric encephalogram for cerebral protection: evidence from metabolic suppression studies **580**
Effects of propofol on extracellular acidification rates in primary cortical cell culture: application of silicon microphysiometry to anaesthesia **467**
brain, orexins, Orexins: a new family neuropeptides: *editorial* **695**
brain, oxygen consumption, Aerobic, anaerobic and combination estimates of cerebral hypoperfusion during and after cardiac surgery **936**
Predictors of cerebral oxygenation during warm cardiopulmonary bypass: *abstract* **521P**
calcium channel block, nicardipine, Post-tetanic count and train-of-four responses during neuromuscular block produced by vecuronium and infusion of nicardipine **340**
calcium channel block, ryanodine, Segregation of malignant hyperthermia, central core disease and chromosome 19 markers **217**
carbon dioxide, absorption, Compound A does not accumulate during closed circuit sevoflurane anaesthesia with the Physioflex **571**
carbon dioxide, hypercapnia, Effects of subanaesthetic sevoflurane on ventilation. 1: Response to acute and sustained hypercapnia in humans **204**
carbon dioxide, reactivity, Effects of target-controlled infusion of propofol on the transient hyperaemic response and carbon dioxide reactivity in the middle cerebral artery **839**
cardiorespiratory system, effects Ventilatory frequency variability in spontaneously breathing anaesthetized subjects **552**
cardiovascular system, effects, Cardiovascular response to insertion of the intubating laryngeal mask: *abstract* **174P**
Comparison of esmolol and alfentanil on the auditory evoked response and haemodynamic response to intubation: *abstract* **515P**
Effect of omitting regular ACE inhibitor medication before cardiac surgery on haemodynamic variables and vasoactive drug requirements **715**
Haemodynamic effects of diaspirin crosslinked haemoglobin (DCLHb) given before abdominal aortic aneurysm surgery **702**
Haemodynamic effects of rapacuronium in adults with coronary artery or valvular disease **721**
Low-dose esmolol bolus reduces seizure duration during electroconvulsive therapy: a double-blind, placebo-controlled study **271**
Measurements of systolic time intervals using a transoesophageal pulsed echo-Doppler **630**
The value of ΔDown during haemorrhage: *correspondence* **967**
cardiovascular system, responses, Effect of a remifentanil bolus dose on the cardiovascular response to emergence from anaesthesia and tracheal extubation **654**
cardioventilatory coupling, Ventilatory frequency variability in spontaneously breathing anaesthetized subjects **552**
cat, Morphological correlates of the differential responses of muscles to vecuronium **284**
cerebrospinal fluid, density, Influence of sex on cerebrospinal fluid density in adults **943**
children, Analgesic efficacy of paracetamol and diclofenac in children receiving PCA morphine: *correspondence* **533**
Effect of tropisetron on vomiting during patient-controlled analgesia in children **608**
Modern day-case anaesthesia for children **91**
Paediatric intensive care **139**

Paediatric trauma **130**
Resuscitation **157**
children, preoperative assessment, Medical assessment of the paediatric patient **3**
Preoperative preparation and premedication **16**
clinical trials, Why we need large randomized studies in anaesthesia: *editorial* **829I**
Comparison of Entonox and low-dose premixed isoflurane and desflurane for chest drain removal after cardiac surgery: *abstract* **175P**
Comparison of ropivacaine with bupivacaine in nerve blocks of the lower limb: *abstract* **186P**
Comparison of signs of anaesthesia using propofol, methohexital and sevoflurane: *abstract* **180P**
Comparison of signs of anaesthesia using propofol, methohexital and sevoflurane: *abstract* **180P**
complications, airway trauma, Malposition of the epiglottis after tracheal intubation via the intubating laryngeal mask **962**
complications, Alagille's syndrome, Living related donor liver transplantation in a patient with severe aortic stenosis **488**
complications, anaphylaxis, Allergy to anaesthetizing agents in Spain **336**
complications, aortic aneurysm, Emergency repair of incidentally diagnosed ascending aortic aneurysm immediately after Caesarean section **343**
complications, aortic stenosis, Living related donor liver transplantation in a patient with severe aortic stenosis **488**
complications, aspiration, Pulmonary aspiration of gastric contents in anaesthesia **453**
complications, central core disease, Segregation of malignant hyperthermia, central core disease and chromosome 19 markers **217**
complications, chronic obstructive airways disease, Cardiovascular collapse associated with extreme iatrogenic PEEPi in patients with obstructive airways disease **493**
complications, diabetes, Metformin and perioperative risk: *correspondence* **540**
complications, drug hypersensitivity, Allergy to anaesthetizing agents in Spain **336**
complications, dyspnoea, Low-dose nitrous oxide and dyspnoea: *correspondence* **357**
complications, epilepsy, Detection of an epileptic mirror focus after oral application of clonidine **349**
complications, gas leak, Oxygen concentration distinguishes pulmonary from bowel gas leak: *correspondence* **965**
complications, haematoma, Central nerve block and thromboprophylaxis: *correspondence* **689**
Vertebral canal haematoma is a hazard of spinal-epidural anaesthesia in patients treated with low-molecular weight heparins: *correspondence* **352**
complications, haemorrhage, Effect of haemorrhage on plasma propofol concentrations in a patient undergoing orthotopic liver transplantation **346**
The value of ΔDown during haemorrhage: *correspondence* 967
complications, hypercalcaemia, Unusual consequences of heroin overdose: rhabdomyolysis, acute renal failure, paraplegia and hypercalcaemia **496**
complications, hypotension, Comparison of pentastarch and Hartmann's solution for volume preloading in spinal anaesthesia for elective Caesarean section **475**
Itching after use of starch solutions: *correspondence* **973**
complications, hypotensions, Cardiovascular collapse associated with extreme iatrogenic PEEPi in patients with obstructive airways disease **493**
complications, injury, Paediatric trauma **130**
complications, iron deficiency, Functional iron deficiency and infection in critical illness: *abstract* **173P**
complications, morbidity, Perioperative myocardial ischaemia, heart rate and arrhythmia in patients undergoing thoracotomy: an observational study **850**
Pre-existing medical conditions as predictors of adverse events in day-case surgery **262**
complications, mortality, Mortality and the use of pulmonary artery catheters: *abstract* **519P**
complications, muscle weakness, Possible muscular causes of weaning failure in critical illness. A novel aspect: *abstract* **186P**
complications, muscular dystrophy, Response to vecuronium in a patient with facioscapulohumeral muscular dystrophy **499**
complications, myalgia, Low-dose succinylcholine facilitates laryngeal mask airway insertion during thiopental anaesthesia **279**
complications, nasal abnormalities, Asymptomatic intranasal abnormalities influencing the choice of nostril for nasotracheal intubation **882**
complications, obesity, Induction of anaesthesia in morbidly obese patients: *correspondence* **964**
Induction of anaesthesia in the lateral decubitus position in morbidly obese patients: *correspondence* **356**
complications, overdose, Fatal nefopam overdose **501**
Unusual consequences of heroin overdose: rhabdomyolysis, acute renal failure, paraplegia and hypercalcaemia **496**
complications, paraplegia, Unusual consequences of heroin overdose: rhabdomyolysis, acute renal failure, paraplegia and hypercalcaemia **496**
complications, pneumonia, Gram stain of bronchoalveolar lavage fluid in the early diagnosis of ventilator-associated pneumonia **845**
complications, pneumothorax, Percussion – a new way to diagnose a pneumothorax **960**
complications, postoperative shivering, Influence of ondansetron at induction on thermoregulation and shivering after general anaesthesia: *abstract* **173P**
complications, pruitus, Opioid-induced pruritus: repeated *vs* single dose ondansetron administration in preventing pruritus after intrathecal morphine: *correspondence* **527**
complications, reperfusion injury, Methylene blue and haemodynamics of reperfusion injury: *abstract* **178P**
complications, reperfusion syndrome, Methylene blue in reperfusion syndrome inhibits the effects of nitric oxide: *abstract* **512P**
complications, rhabdomyolysis, Unusual consequences of heroin overdose: rhabdomyolysis, acute renal failure, paraplegia and hypercalcaemia **496**
complications, rhabdomyosarcoma, Perinatal management of a neonate with airway obstruction caused by rhabdomyosarcoma of the tongue **951**
complications, scoliosis, Combined spinal—epidural in the obstetric patient with Harrington rods assisted by ultrasonography **670**
complications, seizures, Low-dose esmolol bolus reduces seizure duration during electroconvulsive therapy: a double-blind, placebo-controlled study **271**
complications, sepsis, Vascular endothelial growth factor and bioimpedance in critically ill patients: *abstract* **169P**
Effect of N-acetylcysteine on mononuclear leukocyte nuclear factor kappa B activation in patients with sepsis: *abstract* **170P**
Matrix metalloproteinase-9 concentrations in critically ill patients: *abstract* **170P**
complications, septic shock, Mitochondrial redox state in the critically ill **325**
complications, systemic inflammatory response syndrome, Effect of cardiopulmonary bypass on serum procalcitonin and C-reactive protein concentrations **602**
complications, Takayasu's disease, Epidural anaesthesia for Caesarean section in a patient with severe Takayasu's disease **956**
complications, trauma, Paediatric trauma **130**
complications, weaning failure, Weaning failure in two critically ill patients is associated with changes in myosin subtypes: *abstract* **528P**
complications, Wolff-Parkinson-White syndrome, Development of rapid atrial fibrillation with a wide QRS complex after neostigmine to a patient with intermittent Wolff-Parkinson-White syndrome **815**
complicatons, hypertension, Effects of propofol on vascular reactivity in isolated aortae from normotensive and spontaneously hypertensive rats **622**
complicatons, ventilator-associated pneumonia, Improving the shape and compliance characteristics of a high-volume, low-pressure cuff improves tracheal seal **887**
computer, simulation, Continuous auditory monitoring–how much information do we register? **747**
Desaturation modelling in the 'human patient' simulator at the Bristol Medical Simulation Centre: *abstract* **517P**
The 'METI' simulator at the Bristol Medical Simulation Centre: *abstract* **526P**

computers, The electronic anaesthetic logbook and the millennium bug or Y2K problem: *correspondence* **356**
Current albumin use in a teaching hospital intensive care unit: *abstract* **188P**
Desflurane or sevoflurane for gynaecological day-case anaesthesia with spontaneous respiration?: *abstract* **178P**
Desflurane or sevoflurane for gynaecological day-case anaesthesia with spontaneous respiration?: *abstract* **178P**

dog, Relaxant effect of propofol on the airway in dogs **292**

enzymes, creatine kinase, Do increased cardiac troponins predict early postoperative outcome in non-cardiac surgical patients?: *abstract* **172P**
enzymes, cytochrome P450, Effect of itraconazole on the pharmacokinetics of bupivacaine enantiomers in healthy volunteers **659**
enzymes, metalloproteinases, Matrix metalloproteinase-9 concentrations in critically ill patients: *abstract* **170P**
enzymes, neurone-specific enolase, Time course of neurone-specific enolase and S-100 protein release and after coronary artery bypass grafting: *correspondence* **531**
equipment, alarms, An audit of the use of alarms in anaesthetic monitoring: *abstract* **525P**
Continuous auditory monitoring–how much information do we register? **747**
equipment, anaesthesia machines, Hidden hazards of scavenging: *correspondence* **532**
equipment, breathing filters, Moisture output of breathing system filters during the first 3 min of simulated use: *abstract* **520P**
Equipment and monitoring in paediatric anaesthesia **78**
equipment, breathing systems, Comparison of breathing methods for inhalation induction of anaesthesia **650**
Compound A does not accumulate during closed circuit sevoflurane anaesthesia with the Physioflex **571**
Low-flow anaesthesia in infants and children **50**
equipment, cannulae intravascular, Portable ultrasound for central venous cannulation: *correspondence* **964**
equipment, catheters pulmonary artery, Mortality and the use of pulmonary artery catheters: *abstract* **519P**
equipment, chest drains, Comparison of Entonox and low-dose premixed isoflurane and desflurane for chest drain removal after cardiac surgery: *abstract* **175P**
equipment, cuffs tracheal, Evaluation of pressure changes in a new design tracheal tube cuff, the Portex Soft Seal, during nitrous oxide anaesthesia **805**
Improving the shape and compliance characteristics of a high-volume, low-pressure cuff improves tracheal seal **887**
equipment, laryngoscopes, A new laryngoscope with flexible adjustable rigid blade: *correspondence* **537**
Supralaryngeal tubeless combined high-frequency jet ventilation for laser surgery of the larynx and trachea **940**
equipment, masks anaesthesia, Do not rely on a laryngeal mask in major periglottic pathology: *correspondence* **685**
Cardiovascular response to insertion of the intubating laryngeal mask: *abstract* **174P**
Dealing with expected difficult intubation: *correspondence* **362**
Equipment and monitoring in paediatric anaesthesia **78**
Influence of neuromuscular block, mode of ventilation and respiratory cycle on pharyngeal mucosal pressures with the laryngeal mask airway **480**
Low-dose succinylcholine facilitates laryngeal mask airway insertion during thiopental anaesthesia **279**
Malposition of the epiglottis after tracheal intubation via the intubating laryngeal mask **962**
Pressure support ventilation in the anaesthetized patient using the laryngeal mask airway: *abstract* **530P**
The intubating laryngeal mask airway compared with direct laryngoscopy **615**
equipment, microphone, Acoustic monitoring of intraoperative neuromuscular block **405**
equipment, needles, Bacterial contamination of needles used for spinal and epidural anaesthesia **657**
equipment, pulse oximeters, Continuous auditory monitoring–how much information do we register? **747**
equipment, Re-evaluation of appropriate size of the laryngeal mask airway **478**
equipment, scavenging devices, Hidden hazards of scavenging: *correspondence* **532**
equipment, soda lime, Dry soda lime degrades sevoflurane during simulated inhalation induction: *correspondence* **353**
equipment, tubes double-lumen, Placement of double-lumen endobronchial tubes: *correspondence* **682**
equipment, tubes endobronchial equipment, bronchoscopes, Placement of double-lumen endobronchial tubes: *correspondence* **682**
equipment, tubes tracheal, Fibreoptic orotracheal intubation: *correspondence* **683**
equipment, vaporizers, Sevoflurane anaesthesia with an Oxford Miniature Vaporizer: *correspondence* **355**
equipment, ventilators, *In vitro* and *in vivo* assessment of the Ventrak 1550/Capnogard 1265 for single breath carbon dioxide analysis in neonates **503**
eye, cataract, Subconjunctival block for cataract extraction and keratoplasty: *correspondence* **968**
eye, intraocular pressure, Effect of rocuronium compared with succinylcholine on IOP: *correspondence* **529**

fluids, i.v., Comparison of pentastarch and Hartmann's solution for volume preloading in spinal anaesthesia for elective Caesarean section **475**
Gelatin may not be the cause of hypercoagulability: *correspondence* **539**
Itching after use of starch solutions: *correspondence* **973**
formulations, concentration, Mixing of propofol and lidocaine: *correspondence* **193**
formulations, etomidate, Solvent for etomidate may cause pain and adverse effects **464**
formulations, propofol, Mixing of propofol and lidocaine: *correspondence* **193**
Further studies on the interaction of pancuronium and vecuronium with recombinant m2 muscarinic receptors: *abstract* **189P**

gastrointestinal system, mucosal perfusion, The Haldane effect–an alternative explanation for increasing gastric mucosal P_{CO_2} gradients? **740**
gastrointestinal tract, aspiration, Pulmonary aspiration of gastric contents in anaesthesia **453**
gender factors, Influence of sex on cerebrospinal fluid density in adults **943**
genetic factors, A rough guide to molecular biology: *commentary* **675**
Segregation of malignant hyperthermia, central core disease and chromosome 19 markers **217**
gerbil, Pre-ischaemic administration of procaine suppresses ischaemic glutamate release and reduces neuronal damage in the gerbil hippocampus **472**
guinea-pig Relaxation by sevoflurane, desflurane and halothane in the isolated guinea-pig trachea via inhibition of cholinergic neurotransmission **422**
A novel model of aspiration in young and old guinea-pigs using LacZ gene transduction of adenovirus vector **296**

heart, arrhythmia, fibrillation, Development of rapid atrial fibrillation with a wide QRS complex after neostigmine to a patient with intermittent Wolff-Parkinson-White syndrome **815**
heart, arrhythmia, Perioperative myocardial ischaemia, heart rate and arrhythmia in patients undergoing thoracotomy: an observational study **850**
heart, cardiopulmonary bypass, Aerobic, anaerobic and combination estimates of cerebral hypoperfusion during and after cardiac surgery **936**
Circulating interleukin-8 and lung dysfunction after cardiopulmonary bypass: *abstract* **171P**
Effect of cardiopulmonary bypass on serum procalcitonin and C-reactive protein concentrations **602**
Effect of omitting regular ACE inhibitor medication before cardiac surgery on haemodynamic variables and vasoactive drug requirements **715**
Effect of xenon on cytokine balance and adhesion molecule

expression in an isolated cardiopulmonary bypass circuit: *abstract* **511P**
Predictors of cerebral oxygenation during warm cardiopulmonary bypass: *abstract* **521P**
Time course of neurone-specific enolase and S-100 protein release and after coronary artery bypass grafting: *correspondence* **531**
heart, heart rate, EEG indices and heart rate variability as measures of depth of anaesthesia: *correspondence* **687**
Perioperative myocardial ischaemia, heart rate and arrhythmia in patients undergoing thoracotomy: an observational study **850**
Ventilatory frequency variability in spontaneously breathing anaesthetized subjects **552**
heart, ischaemia, Allopurinol for the prevention of reperfusion injury during open heart surgery: *abstract* **176P**
Effect of propofol on reperfusion injury after regional ischaemia in the isolated rat heart **903**
Perioperative myocardial ischaemia, heart rate and arrhythmia in patients undergoing thoracotomy: an observational study **850**
heart, isolated preparation, Effect of propofol on reperfusion injury after regional ischaemia in the isolated rat heart **903**
heart, myocardial function, Effect of propofol on reperfusion injury after regional ischaemia in the isolated rat heart **903**
Measurements of systolic time intervals using a transoesophageal pulsed echo-Doppler **630**
heart, reperfusion injury, Allopurinol for the prevention of reperfusion injury during open heart surgery: *abstract* **176P**
heart, resuscitation, Resuscitation **157**
The intubating laryngeal mask airway compared with direct laryngoscopy **615**
heart, troponins, Do increased cardiac troponins predict early postoperative outcome in non-cardiac surgical patients?: *abstract* **172P**
heart, ventricles, Catecholaminergic activity and 3′,5′ -cyclic adenosine monophosphate concentrations in the right ventricle after acute and chronic morphine administration in the rat **784**
histamine, Solvent for etomidate may cause pain and adverse effects **464**
history, anaesthesia, Development of academic anaesthesia in the UK up to the end of 1998 **916**
hormones, antidiuretic, Sevoflurane anaesthesia causes a transient decrease in aquaporin-2 and impairment of urine concentration **734**
hormones, cortisol, Acute pain induces an instant increase in natural killer cell cytotoxicity in humans and this response is abolished by local anaesthesia **235**
Etomidate and the osteocalcin response to gynaecological surgery **461**
hormones, osteocalcin, Etomidate and the osteocalcin response to gynaecological surgery **461**
horse, Effects of inhaled nitric oxide 10 ppm in spontaneously breathing horses anaesthetized with halothane **321**
hypercapnia, Effects of subanaesthetic sevoflurane on ventilation. 1: Response to acute and sustained hypercapnia in humans **204**
Influence of low-dose anaesthetic agents on ventilatory control: where do we stand?: *editorial* **199**
hyperinnervation, regional, Sensory hyperinnervation after neonatal skin wounding: effect of bupivacaine sciatic nerve block **662**
hyperthermia, Segregation of malignant hyperthermia, central core disease and chromosome 19 markers **217**
hypnotics benzodiazepine, diazepam, Benzodiazepines and postoperative cognitive dysfunction in the elderly **585**
hypnotics benzodiazepine, midazolam, Augmentation of vecuronium-induced neuromuscular block during sevoflurane anaesthesia: comparison with balanced anaesthesia using propofol or midazolam **485**
Effect of midazolam on cilia survival: *abstract* **527P**
Midazolam premedication and thiopental induction of anaesthesia: interactions at multiple end-points **590**
hypocapnia, Effects of hyperoxia and hypocapnia on regional venous oxygen saturation in the primary visual cortex in conscious humans **835**
hypoxaemia, Computer simulation of pulmonary oxygen transfer in acute respiratory distress syndrome (ARDS): *abstract* **170P**
Improving oxygenation during one-lung ventilation: a national survey of current practice: *abstract* **190P**
hypoxia, Effects of subanaesthetic sevoflurane on ventilation. 2: Response to acute and sustained hypoxia in humans **210**
Influence of low-dose anaesthetic agents on ventilatory control: where do we stand?: *editorial* **199**

immune response, Acute pain induces an instant increase in natural killer cell cytotoxicity in humans and this response is abolished by local anaesthesia **235**
Effect of xenon on cytokine balance and adhesion molecule expression in an isolated cardiopulmonary bypass circuit: *abstract* **511P**
infants, preoperative assessment, Medical assessment of the paediatric patient **3**
infection, bacterial, Bacterial contamination of needles used for spinal and epidural anaesthesia **657**
Functional iron deficiency and infection in critical illness: *abstract* **173P**
Gram stain of bronchoalveolar lavage fluid in the early diagnosis of ventilator-associated pneumonia **845**
infection, Gram stain, Gram stain of bronchoalveolar lavage fluid in the early diagnosis of ventilator-associated pneumonia **845**
infection, viral, A novel model of aspiration in young and old guinea-pigs using LacZ gene transduction of adenovirus vector **296**
Influence of chronic phenytoin administration on the pharmacokinetics and pharmacodynamics of vecuronium: *abstract* **183P**
intensive care, audit, Current albumin use in a teaching hospital intensive care units: *abstract* **188P**
Functional iron deficiency and infection in critical illness: *abstract* **173P**
Mortality and the use of pulmonary artery catheters: *abstract* **519P**
intensive care, Mitochondrial redox state in the critically ill **325**
Self-prepared heparinized syringes for measuring ionized magnesium in critical care patients **810**
intensive care, monitoring, Ultrasound: an emerging role in anaesthesia and intensive care **789**
intensive care, paediatric, Paediatric intensive care **139**
intensive care, sedation, Measuring sedation in the ICU: guidelines on the scales?: *editorial* **693**
The Brussels sedation scale: use of a simple clinical sedation scale can avoid excessive sedation in patients undergoing mechanical ventilation in the intensive care unit **698**
interactions (drug), Effect of itraconazole on the pharmacokinetics of bupivacaine enantiomers in healthy volunteers **659**
Effects of dexmedetomidine on isoflurane requirements in healthy volunteers. 1: Pharmacodynamic and pharmacokinetic interactions **372**
Effects of dexmedetomidine on isoflurane requirements in healthy volunteers. 2: Auditory and somatosensory evoked responses **381**
intubation endobronchial, Placement of double-lumen endobronchial tubes: *correspondence* **682**
intubation nasotracheal, complications, Asymptomatic intranasal abnormalities influencing the choice of nostril for nasotracheal intubation **882**
intubation tracheal, A new laryngoscope with flexible adjustable rigid blade: *correspondence* **537**
Avoiding movement at laryngeal mask airway insertion: *correspondence* **194**
Comparison on intubating conditions after propofol and succinylcholine with those after propofol and remifentanil: *abstract* **522P**
Dealing with expected difficult intubation: *correspondence* **362**
Do not rely on a laryngeal mask in major periglottic pathology: *correspondence* **685**
Double-blind comparison of sevoflurane *vs* propofol and succinylcholine for tracheal intubation in children **410**
Evaluation of pressure changes in a new design tracheal tube cuff, the Portex Soft Seal, during nitrous oxide anaesthesia **805**
Fibreoptic orotracheal intubation: *correspondence* **683**
Improving the shape and compliance characteristics of a high-volume, low-pressure cuff improves tracheal seal **887**
Malposition of the epiglottis after tracheal intubation via the intubating laryngeal mask **962**
Rapacuronium (Org 9487) for use during rapid sequence induction of anaesthesia: comparison with succinylcholine: *abstract* **179P**
Re-evaluation of appropriate size of the laryngeal mask airway **478**

The intubating laryngeal mask airway compared with direct laryngoscopy **615**
intubation tracheal, complications, Dealing with expected difficult intubation: *correspondence* **362**
Do not rely on a laryngeal mask in major periglottic pathology: *correspondence* **685**
intubation tracheal, extubation, Effect of a remifentanil bolus dose on the cardiovascular response to emergence from anaesthesia and tracheal extubation **654**
intubation tracheal, responses, Cardiovascular response to insertion of the intubating laryngeal mask: *abstract* **174P**
intubation tracheal, techniques, Fibreoptic orotracheal intubation: *correspondence* **683**
The intubating laryngeal mask airway compared with direct laryngoscopy **615**
ions, calcium, Malignant hyperthermia causing Gly2435Arg mutation of the ryanodine receptor facilitates ryanodine-induced calcium release in myotubes **855**
ions, ion channels, ω-Conotoxin $MVII_A$ binding site on N-type voltage-sensitive calcium channels is not a target for i.v. or local anaesthetic agents: *abstract* **188P**
ions, ion channels, voltage-sensitive, ω-Conotoxin $MVII_A$ binding site on N-type voltage-sensitive calcium channels is not a target for i.v. or local anaesthetic agents: *abstract* **188P**
ions, magnesium, Magnesium: physiology and pharmacology **302**
Magnesium: physiology and pharmacology: *correpondence* **972**
Magnesium: *quo vadis?*: *editorial* **202**
Self-prepared heparinized syringes for measuring ionized magnesium in critical care patients **810**
Is neuromuscular block for short laparoscopic procedures necessary?: *abstract* **185P**

kidney, diuretics, furosemide, Effect of i.v. furosemide on pelvic urinary oxygen tension in humans **328**
kidney, failure, Unusual consequences of heroin overdose: rhabdomyolysis, acute renal failure, paraplegia and hypercalcaemia **496**
kidney, function, Different effects of dopamine and dopexamine on the isolated perfused rat kidney **898**
Non-cardiopulmonary bypass cardiac surgery leads to significant proximal tubular dysfunction: *abstract* **176P**
kidney, osmolality, Sevoflurane anaesthesia causes a transient decrease in aquaporin-2 and impairment of urine concentration **734**
kidney, urine, Sevoflurane anaesthesia causes a transient decrease in aquaporin-2 and impairment of urine concentration **734**
kidney, vasopressin, Sevoflurane anaesthesia causes a transient decrease in aquaporin-2 and impairment of urine concentration **734**

liver, damage, Paravertebral block in the management of liver capsule pain after blunt trauma **819**
liver, transplantation, Effect of haemorrhage on plasma propofol concentrations in a patient undergoing orthotopic liver transplantation **346**
Living related donor liver transplantation in a patient with severe aortic stenosis **488**
Methylene blue and haemodynamics of reperfusion injury: *abstract* **178P**
Methylene blue in reperfusion syndrome inhibits the effects of nitric oxide: *abstract* **512P**
Low-flow anaesthesia in infants and children **50**
lung, adult respiratory distress syndrome, Computer simulation of pulmonary oxygen transfer in acute respiratory distress syndrome (ARDS): *abstract* **170P**
lung, chronic obstructive airways disease, Cardiovascular collapse associated with extreme iatrogenic PEEPi in patients with obstructive airways disease **493**
lung, cilia, Effect of midazolam on cilia survival: *abstract* **527P**
lung, compliance, Lung protective ventilatory strategies–will these prevail in the next millennium?: *editorial* **829**
Variables used to set PEEP in the lung lavage model are poorly related **890**
lung, function, A prospective, randomized comparison of preoperative and continuous balanced epidural or paravertebral bupivacaine on post-thoracotomy pain, pulmonary function and stress responses **387**
lung, gas exchange, *In vitro* and *in vivo* assessment of the Ventrak 1550/Capnogard 1265 for single breath carbon dioxide analysis in neonates **503**
Variables used to set PEEP in the lung lavage model are poorly related **890**
lung, gas leak, Oxygen concentration distinguishes pulmonary from bowel gas leak: *correspondence* **965**
lung, gas trapping, High frequency jet ventilation and gas trapping **708**
lung, injury, Circulating interleukin-8 and lung dysfunction after cardiopulmonary bypass: *abstract* **171P**
Role of inhaled nitric oxide in ischaemia—reperfusion injury in the perfused rabbit lung **430**
lung, lavage, Gram stain of bronchoalveolar lavage fluid in the early diagnosis of ventilator-associated pneumonia **845**
Variables used to set PEEP in the lung lavage model are poorly related **890**
lung, mechanics, Lung protective ventilatory strategies–will these prevail in the next millennium?: *editorial* **829**
Variables used to set PEEP in the lung lavage model are poorly related **890**
lung, pneumothorax, Percussion – a new way to diagnose a pneumothorax **960**
lung, shunting, Effects of inhaled nitric oxide 10 ppm in spontaneously breathing horses anaesthetized with halothane **321**
lung, trachea, Relaxation by sevoflurane, desflurane and halothane in the isolated guinea-pig trachea via inhibition of cholinergic neurotransmission **422**
lung, volume, Lung protective ventilatory strategies–will these prevail in the next millennium?: *editorial* **829**

malignant hyperthermia, Segregation of malignant hyperthermia, central core disease and chromosome 19 markers **217**
Bolus *vs* cumulative administration of halothane for contracture testing in malignant hyperthermia diagnosis: *abstract* **529P**
In vitro contracture produced by 4-chloro-m-cresol in muscle from patients attending for malignant hyperthermia diagnosis: *abstract* **513P**
Malignant hyperthermia causing Gly2435Arg mutation of the ryanodine receptor facilitates ryanodine-induced calcium release in myotubes **855**
masks anaesthesia, Re-evaluation of appropriate size of the laryngeal mask airway **478**
Matrix metalloproteinase-9 concentrations in critically ill patients: *abstract* **170P**
measurement techniques, acceleromyography, Augmentation of vecuronium-induced neuromuscular block during sevoflurane anaesthesia: comparison with balanced anaesthesia using propofol or midazolam **485**
measurement techniques, bioimpedance, Vascular endothelial growth factor and bioimpedance in critically ill patients: *abstract* **169P**
measurement techniques, bispectral index, Effect of remifentanil and propofol on BIS and sedation score: *abstract* **177P**
measurement techniques, blood sampling, Self-prepared heparinized syringes for measuring ionized magnesium in critical care patients **810**
measurement techniques, cardiac output, Equipment and monitoring in paediatric anaesthesia **78**
measurement techniques, computerized tomography, Anatomy of the lumbar epidural region: *correspondence* **974**
Topographical anatomy of the lumbar epidural region: an *in vivo* study using computerized axial tomography **229**
measurement techniques, Doppler echocardiography, Measurements of systolic time intervals using a transoesophageal pulsed echo-Doppler **630**
measurement techniques, Doppler ultrasonography, Burst suppression or isoelectric encephalogram for cerebral protection: evidence from metabolic suppression studies **580**
Effect of the magnitude of the decrease in middle cerebral artery flow velocity during the hyperaemic response test on calculated indices of autoregulation: *abstract* **187P**
measurement techniques, electroencephalography, Burst suppression or isoelectric encephalogram for cerebral protection: evidence from metabolic suppression studies **580**
measurement techniques, gastric tonometry, The Haldane effect–an

alternative explanation for increasing gastric mucosal P_{CO_2} gradients? **740**
measurement techniques, magnet resonance imaging, Effects of hyperoxia and hypocapnia on regional venous oxygen saturation in the primary visual cortex in conscious humans **835**
measurement techniques, microphysiometry, Effects of propofol on extracellular acidification rates in primary cortical cell culture: application of silicon microphysiometry to anaesthesia **467**
measurement techniques, mucosal pressure, Influence of neuromuscular block, mode of ventilation and respiratory cycle on pharyngeal mucosal pressures with the laryngeal mask airway **480**
measurement techniques, oximetry, Aerobic, anaerobic and combination estimates of cerebral hypoperfusion during and after cardiac surgery **936**
Burst suppression or isoelectric encephalogram for cerebral protection: evidence from metabolic suppression studies **580**
measurement techniques, spectral analysis, EEG indices and heart rate variability as measures of depth of anaesthesia: *correspondence* **687**
measurement techniques, spinal endoscopy, Realizing visions: *editorial* **369**
measurement techniques, thrombelastography, Gelatin may not be the cause of hypercoagulability: *correspondence* **539**
measurement techniques, transcranial Doppler, Effects of target-controlled infusion of propofol on the transient hyperaemic response and carbon dioxide reactivity in the middle cerebral artery **839**
measurement techniques, ultrasound, Combined spinal—epidural in the obstetric patient with Harrington rods assisted by ultrasonography **670**
Portable ultrasound for central venous cannulation: *correspondence* **964**
Ultrasound: an emerging role in anaesthesia and intensive care **789**
measurement techniques, videoendoscopy, Videoendoscopy parathyroidectomy: *correspondence* **972**
measurement techniques, voltammetry, Effects of tramadol stereoisomers on norepinephrine efflux and uptake in the rat locus coeruleus measured by real time voltammetry **909**
Medical assessment of the paediatric patient **3**
memory, Closed-loop control of propofol anaesthesia **223**
Intraoperative therapeutic suggestions: *correspondence* **532**
Oxygen administration and explicit memory: no improvement found in healthy volunteers **801**
metabolism, cAMP, Catecholaminergic activity and 3′,5′ -cyclic adenosine monophosphate concentrations in the right ventricle after acute and chronic morphine administration in the rat **784**
metabolism, lactate, Mitochondrial redox state in the critically ill **325**
metabolism, oxygen consumption, Mitochondrial redox state in the critically ill **325**
Mixing of propofol and lidocaine: *correspondence* **193**
model, computer simulation, Desaturation modelling in the 'human patient' simulator at the Bristol Medical Simulation Centre: *abstract* **517P**
The 'METI' simulator at the Bristol Medical Simulation Centre: *abstract* **526P**
model, inflammation, Thermal and mechanical antinociceptive action of spinal *vs* peripherally administered clonidine in the rat inflamed knee joint model **436**
model, ischaemia—reperfusion, Role of inhaled nitric oxide in ischaemia—reperfusion injury in the perfused rabbit lung **430**
model, kidney, Different effects of dopamine and dopexamine on the isolated perfused rat kidney **898**
model, lung, Computer simulation of pulmonary oxygen transfer in acute respiratory distress syndrome (ARDS): *abstract* **170P**
Variables used to set PEEP in the lung lavage model are poorly related **890**
model, mathematical, Pre-existing medical conditions as predictors of adverse events in day-case surgery **262**
model, pain, Acute pain induces an instant increase in natural killer cell cytotoxicity in humans and this response is abolished by local anaesthesia **235**
model, rabbit, Role of inhaled nitric oxide in ischaemia—reperfusion injury in the perfused rabbit lung **430**
model, rat, Desflurane and isoflurane improve neurological outcome after incomplete cerebral ischaemia in rats **415**
Expression of interleukin-6 messenger RNA in a rodent model of diffuse axonal injury: *abstract* **511P**
Thermal and mechanical antinociceptive action of spinal *vs* peripherally administered clonidine in the rat inflamed knee joint model **436**
model, statistical, Pre-existing medical conditions as predictors of adverse events in day-case surgery **262**
Modern day-case anaesthesia for children **91**
monitoring, carbon dioxide, Equipment and monitoring in paediatric anaesthesia **78**
monitoring, depth of anaesthesia, EEG indices and heart rate variability as measures of depth of anaesthesia: *correspondence* **687**
monitoring, echocardiography, Measurements of systolic time intervals using a transoesophageal pulsed echo-Doppler **630**
The value of ΔDown during haemorrhage: *correspondence* **967**
monitoring, electroencephalography, Dose nitrous oxide affect closed-loop anaesthetic propofol?: *abstract* **516P**
EEG indices and heart rate variability as measures of depth of anaesthesia: *correspondence* **687**
Effect of target-controlled infusion of propofol on the auditory evoked response, median frequency and spectral edge in humans: *abstract* **514P**
Profiling novel i.v. anaesthetic agents with a rat EEG model: *abstract* **514P**
monitoring, evoked potenials, Closed-loop control of propofol anaesthesia **223**
Comparison of esmolol and alfentanil on the auditory evoked response and haemodynamic response to intubation: *abstract* **515P**
Effect of target-controlled infusion of propofol on the auditory evoked response, median frequency and spectral edge in humans: *abstract* **514P**
Effects of dexmedetomidine on isoflurane requirements in healthy volunteers. 2: Auditory and somatosensory evoked responses **381**
monitoring, intensive care, Measuring sedation in the ICU: guidelines on the scales?: *editorial* **693**
The Brussels sedation scale: use of a simple clinical sedation scale can avoid excessive sedation in patients undergoing mechanical ventilation in the intensive care unit **698**
monitoring, neuromuscular block, Acoustic monitoring of intraoperative neuromuscular block **405**
Tactile evaluation of fade of the train-of-four and double-burst stimulation using the anaesthetist's non-dominant hand **275**
monitoring, oxygen, Equipment and monitoring in paediatric anaesthesia **78**
monitoring, sedation, Measuring sedation in the ICU: guidelines on the scales?: *editorial* **693**
The Brussels sedation scale: use of a simple clinical sedation scale can avoid excessive sedation in patients undergoing mechanical ventilation in the intensive care unit **698**
monitoring, sensory block, Warm air sensation for assessment of sensory level after spinal anaesthesia: *abstract* **527P**
monitoring, temperature, Equipment and monitoring in paediatric anaesthesia **78**
mouse, Propofol anaesthesia in mice is potentiated by muscimol and reversed by bicuculline **665**
muscle skeletal, culture, Malignant hyperthermia causing Gly2435Arg mutation of the ryanodine receptor facilitates ryanodine-induced calcium release in myotubes **855**
muscle skeletal, Morphological correlates of the differential responses of muscles to vecuronium **284**
muscle skeletal, responses, Cisatracurium neuromuscular block at the adductor pollicis and the laryngeal adductor muscles in humans **483**
Morphological correlates of the differential responses of muscles to vecuronium **284**
muscle vascular, responses, Effects of propofol on vascular reactivity in isolated aortae from normotensive and spontaneously hypertensive rats **622**

neonates, Perinatal management of a neonate with airway obstruction caused by rhabdomyosarcoma of the tongue **951**
neonates, preoperative assessment, Medical assessment of the paediatric patient **3**
nerve, neurotransmission, Relaxation by sevoflurane, desflurane and

halothane in the isolated guinea-pig trachea via inhibition of cholinergic neurotransmission **422**
nerve, neurotransmitters, Pre-ischaemic administration of procaine suppresses ischaemic glutamate release and reduces neuronal damage in the gerbil hippocampus **472**
neuromuscular block, antagonism, Antagonism of rapacuronium using edrophonium or neostigmine: pharmacodynamics and pharmacokinetics **727**
Neuromuscular blocking agents in paediatric anaesthesia **58**
neuromuscular block, cisatracurium, Cisatracurium neuromuscular block at the adductor pollicis and the laryngeal adductor muscles in humans **483**
neuromuscular block, gallamine, Further studies on the interaction of pancuronium and vecuronium with recombinant m2 muscarinic receptors: *abstract* **189P**
neuromuscular block, Influence of neuromuscular block, mode of ventilation and respiratory cycle on pharyngeal mucosal pressures with the laryngeal mask airway **480**
Is neuromuscular block for short laparoscopic procedures necessary?: *abstract* **185P**
neuromuscular block, measurement of response, Acoustic monitoring of intraoperative neuromuscular block **405**
Post-tetanic count and train-of-four responses during neuromuscular block produced by vecuronium and infusion of nicardipine **340**
Residual neuromuscular block caused by pancuronium after cardiac surgery **338**
Tactile evaluation of fade of the train-of-four and double-burst stimulation using the anaesthetist's non-dominant hand **275**
neuromuscular block, Org 9487, Antagonism of rapacuronium using edrophonium or neostigmine: pharmacodynamics and pharmacokinetics **727**
Haemodynamic effects of rapacuronium in adults with coronary artery or valvular disease **721**
neuromuscular block, pancuronium, Further studies on the interaction of pancuronium and vecuronium with recombinant m2 muscarinic receptors: *abstract* **189P**
Residual neuromuscular block caused by pancuronium after cardiac surgery **338**
neuromuscular block, rapacuronium, Antagonism of rapacuronium using edrophonium or neostigmine: pharmacodynamics and pharmacokinetics **727**
Haemodynamic effects of rapacuronium in adults with coronary artery or valvular disease **721**
Rapacuronium (Org 9487) for use during rapid sequence induction of anaesthesia: comparison with succinylcholine: *abstract* **179P**
Rapacuronium for modified rapid sequence induction in elective Caesarean section: neuromuscular blocking effects and safety compared with succinylcholine, and placental transfer **862**
neuromuscular block, rocuronium, Effect of rocuronium compared with succinylcholine on IOP: *correspondence* **529**
neuromuscular block, succinylcholine, Comparison on intubating conditions after propofol and succinylcholine with those after propofol and remifentanil: *abstract* **522P**
Double-blind comparison of sevoflurane *vs* propofol and succinylcholine for tracheal intubation in children **410**
Effect of rocuronium compared with succinylcholine on IOP: *correspondence* **529**
Low-dose succinylcholine facilitates laryngeal mask airway insertion during thiopental anaesthesia **279**
Neuromuscular blocking agents in paediatric anaesthesia **58**
Rapacuronium (Org 9487) for use during rapid sequence induction of anaesthesia: comparison with succinylcholine: *abstract* **179P**
Rapacuronium for modified rapid sequence induction in elective Caesarean section: neuromuscular blocking effects and safety compared with succinylcholine, and placental transfer **862**
neuromuscular block, vecuronium, Augmentation of vecuronium-induced neuromuscular block during sevoflurane anaesthesia: comparison with balanced anaesthesia using propofol or midazolam **485**
Haemodynamic effects of rapacuronium in adults with coronary artery or valvular disease **721**
Influence of chronic phenytoin administration on the pharmacokinetics and pharmacodynamics of vecuronium: *abstract* **183P**
Morphological correlates of the differential responses of muscles to vecuronium **284**
Post-tetanic count and train-of-four responses during neuromuscular block produced by vecuronium and infusion of nicardipine **340**
Tactile evaluation of fade of the train-of-four and double-burst stimulation using the anaesthetist's non-dominant hand **275**
Further studies on the interaction of pancuronium and vecuronium with recombinant m2 muscarinic receptors: *abstract* **189P**
Response to vecuronium in a patient with facioscapulohumeral muscular dystrophy **499**
Neuromuscular blocking agents in paediatric anaesthesia **58**
New i.v. agents **29**
New inhalation agents in paediatric anaesthesia **42**
non-steroidal anti-inflammatory drugs, Effect of oral and i.v. tenoxicam in postoperative pain after total knee replacement **876**

oxygen, administration, Oxygen administration and explicit memory: no improvement found in healthy volunteers **801**
oxygen, concentration, Oxygen concentration distinguishes pulmonary from bowel gas leak: *correspondence* **965**
oxygen, delivery, Effects of hyperoxia and hypocapnia on regional venous oxygen saturation in the primary visual cortex in conscious humans **835**
oxygen, saturation, Aerobic, anaerobic and combination estimates of cerebral hypoperfusion during and after cardiac surgery **936**
Continuous auditory monitoring–how much information do we register? **747**
Desaturation modelling in the 'human patient' simulator at the Bristol Medical Simulation Centre: *abstract* **517P**
Effects of hyperoxia and hypocapnia on regional venous oxygen saturation in the primary visual cortex in conscious humans **835**
Predictors of cerebral oxygenation during warm cardiopulmonary bypass: *abstract* **521P**
oxygen, tension, Effect of i.v. furosemide on pelvic urinary oxygen tension in humans **328**
oxygen, transport, Haemodynamic effects of diaspirin crosslinked haemoglobin (DCLHb) given before abdominal aortic aneurysm surgery **702**
Variables used to set PEEP in the lung lavage model are poorly related **890**

pain, chronic, The role of patient expectations in perceived invasive treatment efficacy: *abstract* **191P**
pain, experimental, Acute pain induces an instant increase in natural killer cell cytotoxicity in humans and this response is abolished by local anaesthesia **235**
Analgesic effect of intrathecal desipramine on carrageenan-induced thermal hyperalgesia in the rat **449**
pain, injection, A potential mechanism of propofol-induced pain on injection based on studies using nafamostat mesilate **397**
Solvent for etomidate may cause pain and adverse effects **464**
pain, mechanism, Acute pain induces an instant increase in natural killer cell cytotoxicity in humans and this response is abolished by local anaesthesia **235**
pain, model, Analgesic effect of intrathecal desipramine on carrageenan-induced thermal hyperalgesia in the rat **449**
Inflammation of the rat urinary bladder is associated with a referred thermal hyperalgesia which is nerve growth factor dependent **442**
pain, paediatric, Prevention and control of pain in children **118**
pain, postoperative, A prospective, randomized comparison of preoperative and continuous balanced epidural or paravertebral bupivacaine on post-thoracotomy pain, pulmonary function and stress responses **387**
Analgesia after intracranial surgery: a double-blind, prospective comparison of codeine and tramadol **245**
Analgesic efficacy of paracetamol and diclofenac in children receiving PCA morphine: *correspondence* **533**
Comparison of Entonox and low-dose pre-mixed isoflurane and desflurane for chest drain removal after cardiac surgery **175P**
Effect of oral and i.v. tenoxicam in postoperative pain after total knee replacement **876**
Pain scores after total hip arthroplasty: prospective, randomized, open comparison of two analgesic techniques: *abstract* **528P**
Postoperative analgesia after paediatric tonsillectomy: comparison of morphine with ketamine: *abstract* **190P**
Postoperative analgesia with i.v. patient-controlled morphine: effect of adding ketamine **393**

Prevention and control of pain in children **118**
Rectal paracetamol has a significant morphine-sparing effect after hysterectomy **253**
pain, visceral, Inflammation of the rat urinary bladder is associated with a referred thermal hyperalgesia which is nerve growth factor dependent **442**
Paravertebral block in the management of liver capsule pain after blunt trauma **819**
parasympathetic nervous system, glycopyrrolate, Glycopyrrolate reduces nausea but is dry mouth acceptable?: *correspondence* **537**
parasympathetic nervous system, Relaxation by sevoflurane, desflurane and halothane in the isolated guinea-pig trachea via inhibition of cholinergic neurotransmission **422**
partial pressure, arterial, Arterial to inspired partial pressure ratio of halothane, isoflurane, sevoflurane and desflurane in rats **618**
partial pressure, carbon dioxide, The Haldane effect–an alternative explanation for increasing gastric mucosal P_{CO_2} *gradients?* **740**
partial pressure, inspired, Arterial to inspired partial pressure ratio of halothane, isoflurane, sevoflurane and desflurane in rats **618**
pharmacodynamics, alfentanil, Pharmacodynamic interaction of eltanolone and alfentanil during lower abdominal surgery in female patients **250**
pharmacodynamics, Antagonism of rapacuronium using edrophonium or neostigmine: pharmacodynamics and pharmacokinetics **727**
Effects of dexmedetomidine on isoflurane requirements in healthy volunteers. 1: Pharmacodynamic and pharmacokinetic interactions **372**
Influence of chronic phenytoin administration on the pharmacokinetics and pharmacodynamics of vercuronium: *abstract* **183P**
Propofol-remifentanil interaction: influence on recovery: *abstract* **180P**
pharmacodynamics, eltanolone, Pharmacodynamic interaction of eltanolone and alfentanil during lower abdominal surgery in female patients **250**
pharmacokinetics, dexmedetomidine, Effects of dexmedetomidine on isoflurane requirements in healthy volunteers. 1: Pharmacodynamic and pharmacokinetic interactions **372**
pharmacokinetics, enantiomers, Comparison of 0.25% S(−)-bupivacaine with 0.25% RS-bupivacaine for epidural analgesia in labour **750**
pharmacokinetics, neuromuscular blockers, Neuromuscular blocking agents in paediatric anaesthesia **58**
pharmacokinetics, propofol, Effect of haemorrhage on plasma propofol concentrations in a patient undergoing orthotopic liver transplantation **346**
pharmacokinetics. rapacuronium, Antagonism of rapacuronium using edrophonium or neostigmine: pharmacodynamics and pharmacokinetics **727**
pharmacokinetics, stereoisomers, Effect of itraconazole on the pharmacokinetics of bupivacaine enantiomers in healthy volunteers **659**
Effects of tramadol stereoisomers on norepinephrine efflux and uptake in the rat locus coeruleus measured by real time voltammetry **909**
pharmacokinetics, vecuronium, Influence of chronic phenytoin administration on the pharmacokinetics and pharmacodynamics of vecuronium: *abstract* **183P**
pharmacology, 4-chloro-m-cresol, *In vitro* contracture produced by 4-chloro-m-cresol in muscle from patients attending for malignant hyperthermia diagnosis: *abstract* **513P**
pharmacology, ACE inhibitors, Effect of omitting regular ACE inhibitor medication before cardiac surgery on haemodynamic variables and vasoactive drug requirements **715**
pharmacology, allopurinol, Allopurinol for the prevention of reperfusion injury during open heart surgery: *abstract* **176P**
pharmacology, bisuculline, Propofol anaesthesia in mice is potentiated by muscimol and reversed by bicuculline **665**
pharmacology, cannabinoids, Adverse effects of cannabis and cannabinoids **637**
pharmacology, cannabis, Adverse effects of cannabis and cannabinoids **637**
pharmacology, clonidine, Thermal and mechanical antinociceptive action of spinal *vs* peripherally administered clonidine in the rat inflamed knee joint model **436**
pharmacology, cocaine, Systemic absorption of cocaine during fibreoptic bronchoscopy: *abstract* **518P**
pharmacology, cyclizine, Comparison of ondansetron and cyclizine for prevention of nausea and vomiting after day-case gynaecological laparoscopy **611**
pharmacology, desipramine, Analgesic effect of intrathecal desipramine on carrageenan-induced thermal hyperalgesia in the rat **449**
pharmacology, dexamethasone, Dexamethasone reduces nausea and vomiting after laparoscopic cholecystectomy **772**
pharmacology, dopamine, Different effects of dopamine and dopexamine on the isolated perfused rat kidney **898**
pharmacology, dopexamine, Different effects of dopamine and dopexamine on the isolated perfused rat kidney **898**
pharmacology, droperidol, Ondansetron and droperidol in the prevention of postoperative nausea and vomiting **813**
pharmacology, esmolol, Comparison of esmolol and alfentanil on the auditory evoked response and haemodynamic response to intubation: *abstract* **515P**
pharmacology, furosemide, Effect of i.v. furosemide on pelvic urinary oxygen tension in humans **328**
pharmacology, idazoxan, A possible adrenergic involvement in the anaesthetic action of alfentanil: *abstract* **181P**
pharmacology, itraconazole, Effect of itraconazole on the pharmacokinetics of bupivacaine enantiomers in healthy volunteers **659**
pharmacology, magnesium, Magnesium: physiology and pharmacology **302**
Magnesium: physiology and pharmacology: *correpondence* **972**
Magnesium: *quo vadis?*: *editorial* **202**
pharmacology, metformin, Metformin and perioperative risk: *correspondence* **540**
pharmacology, methylene blue, Methylene blue and haemodynamics of reperfusion injury: *abstract* **178P**
Methylene blue in reperfusion syndrome inhibits the effects of nitric oxide: *abstract* **512P**
pharmacology, metoclopramide, Metoclopramide in the prevention of postoperative nausea and vomiting: a quantitative systematic review of randomized, placebo-controlled studies **761**
pharmacology, muscimol, Propofol anaesthesia in mice is potentiated by muscimol and reversed by bicuculline **665**
pharmacology, nafamostat, A potential mechanism of propofol-induced pain on injection based on studies using nafamostat mesilate **397**
pharmacology, nefopam, Fatal nefopam overdose **501**
pharmacology, neostigmine, Development of rapid atrial fibrillation with a wide QRS complex after neostigmine to a patient with intermittent Wolff-Parkinson-White syndrome **815**
pharmacology, nitric oxide, Effects of a nitric oxide scavenger, carboxy-PTIO, on isoflurane MAC and cerebellar nitric oxide synthase activity in rats **948**
Effects of inhaled nitric oxide 10 ppm in spontaneously breathing horses anaesthetized with halothane **321**
Effects of isoflurane, xenon and ketamine on tetrahydrobiopterin, nitric oxide production and cGMP in rat spinal cord: *abstract* **182P**
Methylene blue in reperfusion syndrome inhibits the effects of nitric oxide: *abstract* **512P**
Role of inhaled nitric oxide in ischaemia—reperfusion injury in the perfused rabbit lung **430**
pharmacology, nociceptin, Neither nociceptin nor its receptor are present in human synovial fluid or tissue **470**
pharmacology, ondansetron, Comparison of ondansetron and cyclizine for prevention of nausea and vomiting after day-case gynaecological laparoscopy **611**
Ondansetron and droperidol in the prevention of postoperative nausea and vomiting **813**
Opioid-induced pruritus: repeated *vs* single dose ondansetron administration in preventing pruritus after intrathecal morphine: *correspondence* **527**
pharmacology, orexins, Orexins: a new family neuropeptides: *editorial* **695**
pharmacology, Org 25435, Profiling novel i.v. anaesthetic agents with a rat EEG model: *abstract* **514P**
pharmacology, tranexamic acid, Use of tranexamic acid for an effective blood conservation strategy after total knee arthroplasty **596**
pharmacology, trometamol, Central nerve block and thromboprophylaxis: *correspondence* **689**

physics, baricity, Use of dextrose to produce isobaric solutions of bupivacaine and bupivacaine-opioid combinations at 37°C: *abstract* **520P**
pig, Measurements of systolic time intervals using a transoesophageal pulsed echo-Doppler **630**
The value of ΔDown during haemorrhage: *correspondence* **967**
Variables used to set PEEP in the lung lavage model are poorly related **890**
polypeptides, cytokines, Circulating interleukin-8 and lung dysfunction after cardiopulmonary bypass: *abstract* **171P**
Effect of xenon on cytokine balance and adhesion molecule expression in an isolated cardiopulmonary bypass circuit: *abstract* **511P**
Expression of interleukin-6 messenger RNA in a rodent model of diffuse axonal injury: *abstract* **511P**
polypeptides, neurotrophins, Inflammation of the rat urinary bladder is associated with a referred thermal hyperalgesia which is nerve growth factor dependent **442**
position effects, Induction of anaesthesia in the lateral decubitus position in morbidly obese patients: *correspondence* **356**
position, lateral decubitus, Induction of anaesthesia in the lateral decubitus position in morbidly obese patients: *correspondence* **356**
Postoperative analgesia after paediatric tonsillectomy: comparison of morphine with ketamine: *abstract* **190P**
Postoperative analgesia after paediatric tonsillectomy: comparison of morphine with ketamine: *abstract* **190P**
Postoperative nausea and vomiting in paediatric patients **104**
potency, anaesthetic, MAC, Effects of a nitric oxide scavenger, carboxy-PTIO, on isoflurane MAC and cerebellar nitric oxide synthase activity in rats **948**
Effects of tramadol on minimum alveolar concentration (MAC) of isoflurane in rats **780**
potency, drug, tolerance, Catecholaminergic activity and 3′,5′ -cyclic adenosine monophosphate concentrations in the right ventricle after acute and chronic morphine administration in the rat **784**
pregnancy, Emergency repair of incidentally diagnosed ascending aortic aneurysm immediately after Caesarean section **343**
premedication, midazolam, Midazolam premedication and thiopental induction of anaesthesia: interactions at multiple end-points **590**
premedication, Preoperative preparation and premedication **16**
protein C-reactive, Effect of cardiopulmonary bypass on serum procalcitonin and C-reactive protein concentrations **602**
protein, albumin, Current albumin use in a teaching hospital intensive care unit: *abstract* **188P**
protein, amino acids, Lysine diminishes arginine metabolism but does not affect arterial pressure: *abstract* **185P**
Pre-ischaemic administration of procaine suppresses ischaemic glutamate release and reduces neuronal damage in the gerbil hippocampus **472**
protein, procalcitonin, Effect of cardiopulmonary bypass on serum procalcitonin and C-reactive protein concentrations **602**
protein, S-100, Time course of neurone-specific enolase and S-100 protein release and after coronary artery bypass grafting: *correspondence* **531**
psychological responses, postoperative, Benzodiazepines and postoperative cognitive dysfunction in the elderly **585**
psychological responses, unconscious perception, Intraoperative therapeutic suggestions: *correspondence* **532**

rabbit, Role of inhaled nitric oxide in ischaemia—reperfusion injury in the perfused rabbit lung **430**
Rapacuronium (Org 9487) for use during rapid sequence induction of anaesthesia: comparison with succinylcholine: *abstract* **179P**
rat, Analgesic effect of intrathecal desipramine on carrageenan-induced thermal hyperalgesia in the rat **449**
Arterial to inspired partial pressure ratio of halothane, isoflurane, sevoflurane and desflurane in rats **618**
Catecholaminergic activity and 3′,5′ -cyclic adenosine monophosphate concentrations in the right ventricle after acute and chronic morphine administration in the rat **784**
Different effects of dopamine and dopexamine on the isolated perfused rat kidney **898**
Effect of propofol on reperfusion injury after regional ischaemia in the isolated rat heart **903**
Effects of a nitric oxide scavenger, carboxy-PTIO, on isoflurane MAC and cerebellar nitric oxide synthase activity in rats **948**
Effects of isoflurane, xenon and betamine on tetrahydrobiopterin, nitric oxide production and cGMP in rat spinal cord: *abstract* **182P**
Effects of propofol on vascular reactivity in isolated aortae from normotensive and spontaneously hypertensive rats **622**
Effects of tramadol on minimum alveolar concentration (MAC) of isoflurane in rats **780**
Effects of tramadol stereoisomers on norepinephrine efflux and uptake in the rat locus coeruleus measured by real time voltammetry **909**
Expression of interleukin-6 messenger RNA in a rodent model of diffuse axonal injury: *abstract* **511P**
Inflammation of the rat urinary bladder is associated with a referred thermal hyperalgesia which is nerve growth factor dependent **442**
Inhibitory effect of clonidine on ketamine-induced norepinephrine release from the medial prefrontal cortex in rats **945**
Profiling novel i.v. anaesthetic agents with a rat EEG model: *abstract* **514P**
Reversal of the inhibitory effect of propofol, but not of ketamine, on K^+ evoked glutamate release from rat cerebrocortical slices by the $GABA_A$ antagonist bicuculline: *abstract* **174P**
Sensory hyperinnervation after neonatal skin wounding: effect of bupivacaine sciatic nerve block **662**
Xenon increases arterial pressure in anaesthetized rats: *abstract* **181P**
receptors, amino acid, Propofol anaesthesia in mice is potentiated by muscimol and reversed by bicuculline **665**
receptors, muscarinic, Further studies on the interaction of pancuronium and vecuronium with recombinant m2 muscarinic receptors: *abstract* **189P**
receptors, nociceptin, Neither nociceptin nor its receptor are present in human synovial fluid or tissue **470**
receptors, ryanodine, Malignant hyperthermia causing Gly2435Arg mutation of the ryanodine receptor facilitates ryanodine-induced calcium release in myotubes **855**
records, anaesthesia, computerized, The electronic anaesthetic logbook and the millennium bug or Y2K problem: *correspondence* **356**
records, anaesthesia, Obstetric anaesthetic charts: a national survey: *abstract* **525P**
recovery, postoperative, Comparison of sevoflurane-nitrous oxide and propofol-alfentanil-nitrous oxide anaesthesia for minor gynaecological surgery **576**
recovery, Propofol-remifentanil interaction: influence on recovery: *abstract* **180P**
research anaesthesia, Why we need large randomized studies in anaesthesia: *editorial* **833**
Development of academic anaesthesia in the UK up to the end of 1998 **916**
Evidence-based anaesthetic practice: *correspondence* **360**
Is anaesthesia evidence-based?: *correspondence* **684**

sedation, Closed-loop sedation during knee surgery under epidural anaesthesia: *abstract* **516P**
Dose nitrous oxide affect closed-loop anaesthetic propofol?: *abstract* **516P**
Effect of remifentanil and propofol on BIS and sedation score: *abstract* **177P**
Measuring sedation in the ICU: guidelines on the scales?: *editorial* **693**
Target-controlled infusion or manual control for anaesthetist-administered sedation during neuroradiology? *abstract* **182P**
The Brussels sedation scale: use of a simple clinical sedation scale can avoid excessive sedation in patients undergoing mechanical ventilation in the intensive care unit **698**
statistics, meta-analysis, Metoclopramide in the prevention of postoperative nausea and vomiting: a quantitative systematic review of randomized, placebo-controlled studies **761**
structure, molecular, A rough guide to molecular biology: *commentary* **675**
surgery vascular, Transient ischaemic attack during deep cervical plexus block: *correspondence* **965**
surgery, cardiovascular, Aerobic, anaerobic and combination estimates of cerebral hypoperfusion during and after cardiac surgery **936**
Antiemetic prophylaxis in cardiac surgery: comparison of metoclopramide and ondansetron **933**

Effect of cardiopulmonary bypass on serum procalcitonin and C-reactive protein concentrations **602**
Effect of omitting regular ACE inhibitor medication before cardiac surgery on haemodynamic variables and vasoactive drug requirements **715**
Haemodynamic effects of rapacuronium in adults with coronary artery or valvular disease **721**
Non-cardiopulmonary bypass cardiac surgery leads to significant proximal tubular dysfunction: *abstract* **176P**
Residual neuromuscular block caused by pancuronium after cardiac surgery **338**
The Haldane effect–an alternative explanation for increasing gastric mucosal P_{CO_2} *gradients?* **740**
Time course of neurone-specific enolase and S-100 protein release and after coronary artery bypass grafting: *correspondence* **531**

surgery, day-case, Comparison of ondansetron and cyclizine for prevention of nausea and vomiting after day-case gynaecological laparoscopy **611**

surgery, gynaecological, Best ventilator setting for major gynaecological laparoscopic surgery: *abstract* **184P**
Comparison of sevoflurane-nitrous oxide and propofol-alfentanil-nitrous oxide anaesthesia for minor gynaecological surgery **576**
Desflurane or sevoflurane for gynaecological day-case anaesthesia with spontaneous respiration?: *abstract* **178P**
Etomidate and the osteocalcin response to gynaecological surgery **461**
Rectal paracetamol has a significant morphine-sparing effect after hysterectomy **253**

surgery, hepatic, Paravertebral block in the management of liver capsule pain after blunt trauma **819**

surgery, hormonal response, Etomidate and the osteocalcin response to gynaecological surgery **461**

surgery, laparoscopy, Acupressure and prevention of nausea and vomiting: *correspondence* **541**
Acupressure and prevention of PONV: *correspondence* **352**
Best ventilator setting for major gynaecological laparoscopic surgery: *abstract* **184P**
Comparison of ondansetron and cyclizine for prevention of nausea and vomiting after day-case gynaecological laparoscopy **611**
Dexamethasone reduces nausea and vomiting after laparoscopic cholecystectomy **772**
Hospital admission after day-case gynaecological laparoscopy **776**
Is neuromuscular block for short laparoscopic procedures necessary? *abstract* **185P**
Recovery profiles after day-case diagnostic gynaecological laparoscopy: comparison of two anaesthetic techniques over 1 week follow-up: *abstract* **523P**

surgery, laparotomy, Postoperative analgesia with i.v. patient-controlled morphine: effect of adding ketamine **393**

surgery, laser, Supralaryngeal tubeless combined high-frequency jet ventilation for laser surgery of the larynx and trachea **940**

surgery, neurosurgical, Analgesia after intracranial surgery: a double-blind, prospective comparison of codeine and tramadol **245**

surgery, non-cardiac, Do increased cardiac troponins predict early postoperative outcome in non-cardiac surgical patients?: *abstract* **172P**

surgery, ophthalmological, Subconjunctival block for cataract extraction and keratoplasty: *correspondence* **968**

surgery, orthopaedic, Closed-loop sedation during knee surgery under epidural anaesthesia: *abstract* **516P**
Comparison of ropivacaine with bupivacaine in nerve blocks of the lower limb: *abstract* **186P**
Does addition of ankle block for day-case foot surgery improve patient satisfaction?: *abstract* **523P**
Dose-dependency of intra-articular morphine analgesia **241**
Effect of oral and i.v. tenoxicam in postoperative pain after total knee replacement **876**
Neither nociceptin nor its receptor are present in human synovial fluid or tissue **470**
Pain scores after total hip arthroplasty: prospective, randomized, open comparison of two analgesic techniques: *abstract* **528P**
Use of tranexamic acid for an effective blood conservation strategy after total knee arthroplasty **596**

surgery, otolaryngological, Postoperative analgesia after paediatric tonsillectomy: comparison of morphine with ketamine: *abstract* **190P**
Supralaryngeal tubeless combined high-frequency jet ventilation for laser surgery of the larynx and trachea **940**

surgery, parathyroidectomy, Videoendoscopy parathyroidectomy: *correspondence* **972**

surgery, stress response, A prospective, randomized comparison of preoperative and continuous balanced epidural or paravertebral bupivacaine on post-thoracotomy pain, pulmonary function and stress responses **387**

surgery, thoracic, A prospective, randomized comparison of preoperative and continuous balanced epidural or paravertebral bupivacaine on post-thoracotomy pain, pulmonary function and stress responses **387**
Perioperative myocardial ischaemia, heart rate and arrhythmia in patients undergoing thoracotomy: an observational study **850**
Pulmonary haemorrhage after percutaneous paravertebral block **668**

surgery, transplantation, Effect of haemorrhage on plasma propofol concentrations in a patient undergoing orthotopic liver transplantation **346**

surgery, urological, Acute normovolaemic haemodilution *vs* controlled hypotension for blood conservation: *correspondence* **536**

surgery, vascular, Efficacy and safety of the superficial cervical plexus block for carotid endarterectomy: *correspondence* **970**
Emergency repair of incidentally diagnosed ascending aortic aneurysm immediately after Caesarean section **343**
Haemodynamic effects of diaspirin crosslinked haemoglobin (DCLHb) given before abdominal aortic aneurysm surgery **702**
Regional anaesthesia for carotid endarterectomy: *correspondence* **688**

sympathetic nervous system, catecholamines, Acute pain induces an instant increase in natural killer cell cytotoxicity in humans and this response is abolished by local anaesthesia **235**

sympathetic nervous system, clonidine, Detection of an epileptic mirror focus after oral application of clonidine **349**
Inhibitory effect of clonidine on ketamine-induced norepinephrine release from the medial prefrontal cortex in rats **945**
Low-dose clonidine infusion during labour **257**
Low-dose infusion during labour: *correspondence* **969**
Thermal and mechanical antinociceptive action of spinal *vs* peripherally administered clonidine in the rat inflamed knee joint model **436**

sympathetic nervous system, dexmedetomidine, Effects of dexmedetomidine on isoflurane requirements in healthy volunteers. 1: Pharmacodynamic and pharmacokinetic interactions **372**
Effects of dexmedetomidine on isoflurane requirements in healthy volunteers. 2: Auditory and somatosensory evoked responses **381**

sympathetic nervous system, dobutamine, The Haldane effect–an alternative explanation for increasing gastric mucosal P_{CO_2} *gradients?* **740**

sympathetic nervous system, dopamine, Catecholaminergic activity and 3′,5′ -cyclic adenosine monophosphate concentrations in the right ventricle after acute and chronic morphine administration in the rat **784**

sympathetic nervous system, esmolol, Comparison of esmolol and alfentanil on the auditory evoked response and haemodynamic response to intubation: *abstract* **515P**
Low-dose esmolol bolus reduces seizure duration during electroconvulsive therapy: a double-blind, placebo-controlled study **271**

sympathetic nervous system, norepinephrine, Catecholaminergic activity and 3′,5′ -cyclic adenosine monophosphate concentrations in the right ventricle after acute and chronic morphine administration in the rat **784**
Effects of tramadol stereoisomers on norepinephrine efflux and uptake in the rat locus coeruleus measured by real time voltammetry **909**
Inhibitory effect of clonidine on ketamine-induced norepinephrine release from the medial prefrontal cortex in rats **945**

sympathetic nervous system, Thermal and mechanical antinociceptive action of spinal *vs* peripherally administered clonidine in the rat inflamed knee joint model **436**
Target-controlled infusion or manual control for anaesthetist-administered sedation during neuroradiology?: *abstract* **183P**

temperature, effect, Influence of ondansetron at induction on thermoregulation and shivering after general anaesthesia: *abstract* **173P**

theories of anaesthetic action, cellular mechanisms, Reversal of the inhibitory effect of propofol, but not of ketamine, on K^+ evoked glutamate release from rat cerebrocortical slices by the $GABA_A$ antagonist bicuculline: *abstract* **174P**
theories of anaesthetic action, molecular, ω-Conotoxin $MVII_A$ binding site on N-type voltage-sensitive calcium channels is not a target for i.v. or local anaesthetic agents: *abstract* **188P**
toxicity, local anaesthetics, Ropivacaine and bupivacaine for long-term epidural infusion in a small child **673**
transfusion, autotransfusion, Autotransfusion performed on a patient with cis AB blood group **491**

ventilation, airway pressure, Lung protective ventilatory strategies–will these prevail in the next millennium?: *editorial* **829**
ventilation, carbon dioxide response, Best ventilator setting for major gynaecological laparoscopic surgery: *abstract* **184P**
ventilation, deadspace, *In vitro* and *in vivo* assessment of the Ventrak 1550/Capnogard 1265 for single breath carbon dioxide analysis in neonates **503**
ventilation, dyspnoea, Low-dose nitrous oxide and dyspnoea: *correspondence* **357**
ventilation, effects, Influence of neuromuscular block, mode of ventilation and respiratory cycle on pharyngeal mucosal pressures with the laryngeal mask airway **480**
Ventilatory frequency variability in spontaneously breathing anaesthetized subjects **552**
ventilation, high frequency jet, High frequency jet ventilation and gas trapping **708**
Supralaryngeal tubeless combined high-frequency jet ventilation for laser surgery of the larynx and trachea **940**
ventilation, hypercapnic response, Effects of subanaesthetic sevoflurane on ventilation. 1: Response to acute and sustained hypercapnia in humans **204**
ventilation, hypoxic response, Effects of subanaesthetic sevoflurane on ventilation. 2: Response to acute and sustained hypoxia in humans **210**
Influence of low-dose anaesthetic agents on ventilatory control: where do we stand?: *editorial* **199**
ventilation, intermittent positive pressure, High frequency jet ventilation and gas trapping **708**
ventilation, mechanical Brussels sedation scale: use of a simple clinical sedation scale can avoid excessive sedation in patients undergoing mechanical ventilation in the intensive care unit **698**
Cardiovascular collapse associated with extreme iatrogenic PEEPi in patients with obstructive airways disease **493**
In vitro and *in vivo* assessment of the Ventrak 1550/Capnogard 1265 for single breath carbon dioxide analysis in neonates **503**
Lung protective ventilatory strategies–will these prevail in the next millennium?: *editorial* **829**
The intubating laryngeal mask airway compared with direct laryngoscopy **615**
Variables used to set PEEP in the lung lavage model are poorly related **890**
Ventilatory frequency variability in spontaneously breathing anaesthetized subjects **552**
Weaning failure in two critically ill patients is associated with changes in myosin subtypes: *abstract* **528P**
ventilation, one lung, Improving oxygenation during one-lung ventilation: a national survey of current practice: *abstract* **190P**
ventilation, positive end-expiratory pressure, Cardiovascular collapse associated with extreme iatrogenic PEEPi in patients with obstructive airways disease **493**
Lung protective ventilatory strategies–will these prevail in the next millennium?: *editorial* **829**
Variables used to set PEEP in the lung lavage model are poorly related **890**
ventilation, pressure support, Pressure support ventilation in the anaesthetized patient using the laryngeal mask airway: *abstract* **530P**
ventilation, ventilation-perfusion, Computer simulation of pulmonary oxygen transfer in acute respiratory distress syndrome (ARDS): *abstract* **170P**
ventilation, weaning, Possible muscular causes of weaning failure in critical illness. A novel aspect: *abstract* **186P**
ventilatory response, Effects of subanaesthetic sevoflurane on ventilation. 1: Response to acute and sustained hypercapnia in humans **204**
vomiting, antiemetics, Comparison of ondansetron and cyclizine for prevention of nausea and vomiting after day-case gynaecological laparoscopy **611**
Dexamethasone reduces nausea and vomiting after laparoscopic cholecystectomy **772**
Effect of tropisetron on vomiting during patient-controlled analgesia in children **608**
Metoclopramide in the prevention of postoperative nausea and vomiting: a quantitative systematic review of randomized, placebo-controlled studies **761**
Ondansetron and droperidol in the prevention of postoperative nausea and vomiting **813**
Postoperative nausea and vomiting in paediatric patients **104**
vomiting, antiemetics, metoclopramide, Antiemetic prophylaxis in cardiac surgery: comparison of metoclopramide and ondansetron **933**
vomiting, antiemetics, ondansetron, Antiemetic prophylaxis in cardiac surgery: comparison of metoclopramide and ondansetron **933**
Influence of ondansetron at induction on thermoregulation and shivering after general anaesthesia: *abstract* **173P**
vomiting, incidence, Acupressure and prevention of nausea and vomiting: *correspondence* **541**
Acupressure and prevention of PONV: *correspondence* **352**
Antiemetic prophylaxis in cardiac surgery: comparison of metoclopramide and ondansetron **933**
Dexamethasone reduces nausea and vomiting after laparoscopic cholecystectomy **772**
Effect of tropisetron on vomiting during patient-controlled analgesia in children **608**
Metoclopramide in the prevention of postoperative nausea and vomiting: a quantitative systematic review of randomized, placebo-controlled studies **761**
Ondansetron and droperidol in the prevention of postoperative nausea and vomiting **813**
Postoperative nausea and vomiting in paediatric patients **104**
vomiting, nausea, acupressure, Acupressure and prevention of nausea and vomiting: *correspondence* **541**
Acupressure and prevention of PONV: *correspondence* **352**
vomiting, nausea, anaesthetic factors, Postoperative nausea and vomiting in paediatric patients **104**
vomiting, nausea, Antiemetic prophylaxis in cardiac surgery: comparison of metoclopramide and ondansetron **933**
Comparison of ondansetron and cyclizine for prevention of nausea and vomiting after day-case gynaecological laparoscopy **611**
Comparison of sevoflurane-nitrous oxide and propofol-alfentanil-nitrous oxide anaesthesia for minor gynaecological surgery **576**
Dexamethasone reduces nausea and vomiting after laparoscopic cholecystectomy **772**
Effect of tropisetron on vomiting during patient-controlled analgesia in children **608**
Glycopyrrolate reduces nausea but is dry mouth acceptable?: *correspondence* **537**
Hospital admission after day-case gynaecological laparoscopy **776**
Metoclopramide in the prevention of postoperative nausea and vomiting: a quantitative systematic review of randomized, placebo-controlled studies **761**
Ondansetron and droperidol in the prevention of postoperative nausea and vomiting **813**
Postoperative nausea and vomiting in paediatric patients **104**
Xenon increases arterial pressure in anaesthetized rats: *abstract* **181P**
vomiting, nausea, patient factors, Postoperative nausea and vomiting in paediatric patients **104**
vomiting, nausea, surgical factors, Comparison of ondansetron and cyclizine for prevention of nausea and vomiting after day-case gynaecological laparoscopy **611**